## V30 Contract Codes - with Scottish Adjustments

Index - click on hyperlink
Asthma
Atrial Fibrillation.
Cancer
Contraception (Additional Services Domain of Contract)
Coronary Heart Disease
Chronic Kidney Disease
COPD
CVD Primary Prevention
<u>Dementia</u>
Depression
<u>Diabetes</u>
Epilepsy
Heart Failure
Hy pertension_
Hy pothy roid
Learning Disabilities
Mental Health
<u>Obesity</u>
<u>Osteoporosis</u>
Paliative Care
Peripheral Arterial disease (PAD)
Public Health Domain - Blood Pressure
Rheumatoid Arthritis
Smoking
Stroke/TIA
None

Notes

1. Codes are taken from Version 30(S) published on the PSD website (November 2014)

2. In some cases common nomend after this been used. Codes that end with "%" indicated that this code plus any below it in the heirarchy are suitable. Codes connected by a hyphen indicate that any codes between and including the 2 connected codes are suitable.

Letters in brackets in item column refer to Field Names in the IT specifications

4. In the final column we have added some comments to help with coding and to indicate changes from VZ7 onwards. Newly added codes are highlighted in red.

5. For all entries that in 2013 were 'in last 12 months', this is now required in the last 15 months.

		I	ASTHMA		<u>To Index</u>
Item	Indicator	Code	Code Breakdown	Term	Comments to v30
					-
Asthma Diagnosis (AST)		H33% (excluding H333.)		Asthma	Population requires an Asthma code and an asthma related prescription in the last 12 months.
Asthma Diagnosis (ASI)		H3120		Chronic asthmatic bronchitis	
		173A.		Exercise induced asthma	
	,	,			•
Asthma-related Drug Prescription					Prescribed in the last year.
	1	21262		Ashma resolved	, T
Asthma Resolved		212G.		Ashma resolved	
		2126.		Ashma resowed	
<b></b>			9hA	Exception reporting: asthma quality indicators	т
		9hA%	9hA.L	Exception reporting: asthma quality indicators  Excepted from asthma quality indicators: Patient unsuitable	
Exception Codes (ASTEXC)	all	3HA 76		Excepted from ashma quality indicators: Patent unsultable  Excepted from ashma quality indicators: Informed dissent	
		9OJ2.	MAZ.	Refuses asthma monitoring	
		9012.		Refuses asthma monitoring	<u>l</u>
		33G1.		Spirometry reversibility positive	Ī
		33H1.		Sprometry reversibility test to salbutamol	
		33HL		Positive reversibility test to sathutamot Positive reversibility test to invatronium bromide	
		33II.		Positive reversibility test to a combination of salbutamol and invatronium bromide	Patients can be coded with both Asthma and COPD if appropriate. Note that there are differences between
Spirometry Codes (ASTSPIR)		33K1.		Positive reversibility test to corticosteroids	the the Asthma and COPD Spirometry Codes, the Asthma spirometry code choice only includes those
		663L		Airway s obstruction reversible	showing positive reversibility.
		745D4		Post bronchodilator spirometry	
		SHRC.		Referral for spirometry	
		ourc.		neserration spacementy	1
		813b.		Spirometry test declined	T
		SIGL.		Spirometry not indicated	
Spirometry Exception codes (SPEX)	AST002	8121.		Spirometry contraindicated	
		33720		Unable to perform spirometry	
		20120		Canon to perform spiromeny	1
		220.00		Diurnal variation of peak expiratory flow rate	7
		33950 339A.		Peak flow rate before bronchodilation	1
		339A. 339B.		Peak flow rate before bronchodilation Peak flow rate after bronchodilation	
		339c.		Peak thow rate after pronchodulation Peak expiratory flow rate pre-steroids	
		339d.		Peak expiratory flow rate pre steroids Peak expiratory flow rate post steroids	
PEFR Codes (PEFR)	AST002	339g.		Peakexniratory flow rate nost steroids Serial neakexniratory flow rate	
		339n.		Serial peakexpiratory flow rate abnormal	
		66Yc.		Number of consecutive days at less than 80% peakexpiratory flow rate	
		66YX		Peak expiratory flow rate monitoring	1
		66YY.		Peak expiratory flow rate monitoring using diary	
		66Yc.		Number of consecutive days at less than 80% peakexpiratory flow rate	
				The state of the s	<u>.</u>

		<u>To Index</u>				
		Code	Code Breakdown	Term	Comments to v30	
			137 1371. 1372. 1373. 1374.	Tobacco consumption Never smoded blacco Trivial smoker - 5 I cistikts Light smoker - 10 cistikts Light smoker - 10 cistikts Moderate smoker - 10.19 cistikt Moderate smoker - 10.19 cistikt Heavy smoker - 3.09 cistiktsy		
		137137D.	1376. 1376. 1377. 1378. 1379.	Heavy moser: 30-59 cigociany Very heaves (10-50 kg) Engricola smoker (1-6 kg) Engricola smoker (1-6 kg) Engricola smoker (1-6 kg) Engricola smoker (1-6 kg) Engricola smoker (10-7 kg) Engricola smoker (10-7 kg) Engricola smoker (10-7 kg) Engricola smoker (10-7 kg)		
		137F137H.	137B, 137C, 137D, 137F, 137G,	Levent Amount (About 1)  Every heavy has to see smoler (40-) day)  Keens try has to ston smollare  And itted bother - amount unknown  Try has to rive us moking  Et-smoler - amount unknown		
		137.L 137.K.		Pire smoler Gear smoler Stopped smoking		
Smoking Habit Codes (SMOK)	AST004		137M. 137N. 137O.	Rolls own cisarettes Ex pipe smoker Ex cisar smoker	Required recording for 14 to 19 year olds in the last 12 months. Note - these patients will also require	
(managed and Court (mach)			137M137T.	137Q . 137R.	Genrette smoler Smoking started Current smoler Ex smoler	Smoking Cessation support (QOF Indicators SMOK004 and SMOK005).
		137V.	137K. 137T.	Ex smoker Date ceased smoking Smoking reduced Grarette consummion		
			137Y. 137Z. 137Z.	Cipar consumption Clear consumption Tolucco consumption NOS Pire tolucco consumption		
		137X-137h.	137h. 137c. 137d.	Beady to ston smoking Thisking about stopping smoking Not interested in stoneine smoking		
			137e. 137f. 137g. 137h.	Smoking restarted Reason for restarting smoking Clearette pack-years Minutes from waking to first tobacco consumption		
		1371. 1371. 137m.		Ex-cirarette smoler Ex roll-up cigarette smoler Failed attement to ston smolding		
		137n: 137o.		Total time smoled Waterpipe tobacco consumption		
Review Codes (REV)	AST003	66Y L 66Y K. 66Y Q. 66Y R.		Ashma annual review Ashma follow-up Ashma monitoring by nurse Ashma monitoring by doctor		
		8B3i. 9OJA.		Ashma medication review Ashma monitoring checkdone		

.

		To Index			
			Code Breakdown	The state of the s	Comments to v30
		6635.		Increasing exercise wheeze	
		663P.		Ashma limiting activities	
		663P0		Asthma limits activities 1 to 2 times per month	
		663P1		Asthma limits activities 1 to 2 times per week	
		663P2		Asthma limits activities most days	
Asthma Exercise codes (RCPEXCER)	AST003	663Q.		Asfirm a not limiting activities	
ASTIBILI EXERCISE CODES (RCFEACER)	A51005	663e.		Asthma restricts exercise	
		663c0		Asthma sometimes restricts exercise	
		663c1		Asthma severely restricts exercise	
		663f.		Ashma never restricts exercise	
		663w.		Asthma limits walking up hills or stairs	
		663x.		Asthma limits walking on the flat	
			•		<u>.</u>
		663N.		Asthma disturbing sleep	
		663N0		Ashma causing night waking	
	AST003	663N1		Ashma disturbs sleep weekly	
		663N2		Ashma disturbs sleep frequently	
		6630.		Ashma not disturbing sleep	
Asthma Sleep codes (RCPSLP)		66300		Ashma never disturbs sleep	
		663r.		Asthma causes night symptoms 1 to 2 times per month	
		66YP.		Asthma nisht-time symptoms	
		66Y a.		Ashma causes night time symptoms 1 to 2 times per week	
		66Yr.		Ashma causes symptoms most pirhts	
		66Ys.		Ashma never causes night symptoms	
					<u>.</u>
		663q.		Asthma day time symptoms	Ī
		663s.		Ashma never causes daytime symptoms	
Asthma Day Symptoms (RCPDSYMP)	AST003	663t.		Ashma causes day time symptoms 1 to 2 times per month	
		663u.		Ashma causes day time symptoms 1 to 2 times per week	
		663v.		Ashma causes day time symptoms most day s	
		90.71		permit cauca day unic ay improma mon olly s	<u>.</u>
Asthma Smoking exception code		137k		Refusal to give smoking status	Ī

•

		ATRIAL	To Index		
		1			
		Code	Code Breakdown	Term	Comments to v30
			G573.	Atrial fibrillation and flutter	1
			G 5730	Atrial fibrillation	
				Paroxy smal atrial fibrillation	
Atrial Fibrillation (AFIB)		G573% (excluding		Non-rheumatic atrial fibrillation	
		G5731, G5736)		Permanent atrial fibrillation	
			G 5735	Persistent atrial fibrillation	
			G573z	Atrial fibrillation and flutter NOS	
					<del>*</del>
Excluded		212R.		Atrial fibrillation resolved	Removes from population if dated after most recent AHB code
E.O. SANGE OF		eren.		Penni in minut i Coarea	Removes from population a dated after moniteein Artibeode
		9hF0.		Excep atr fib qual ind: Pt uns	Ī
Exceptions (AFIBEXC)	all	9hF1.		Exc atr fib qual ind: Inf diss	
					+
		14LK.		H/O: aspirin allergy	T
		ZV148		IV/Personal history of aspirin allergy	
Salicylate contra-indications:persistent (XSAL)	AF005	U6051		IX Salicy lates causing adverse effects in therapeute use	
		TJ53.		Adverse reaction to salicylates	
		1455.		Adverse reaction to safely tales	<u> </u>
		8124.		Aspirin prophy laxis contra-indicated	7
		8I38.		Aspirin prophy laxis comra-maleured Aspirin prophy laxis refused	-
Salicylate contra-indications:expiring (TXSAL)	AF005	8158.		Asteria protest axis retused Asteria not indicated	
		8170.		Aspirin not indicated Aspirin not tolerated	
		8170.		Assiran not onerated	<u>1</u> .
		14LP.		H/O: warfarin allerey	7
		INC.	TJ42.	Adverse reaction to anticoagulants	
				Adverse reaction to warfarin sodium	
Warfarin contraindications: persistent		TJ42% (except	TJ422	Adverse reaction to nicoumalone	
(XWAR)	AF005, AF004	TJ420)	TJ423	Adverse reaction to phenindione	1
			TJ42z	Adverse reaction to anticoagulants NOS	1
		U6042		IX [Anticoagulants causing adverse effects in therapeutic use	
		ZV14A		V Personal history of warfarin allergy	
					•
		8125.		Warfarin convaindicated	T
		SIJE.		Warfarin declined	1
		8165.		Warfarin notindicated	
		8171.		Warfarin nottolerated	
		8I2R.		Anticongulation contraindicated	
		ST3d.		Antic on gulation declined	
		8I6N.		Anticongulation not indicated	
Warfarin contraindications: expiring TXWAR)	A POOF A POOF	817A.		Anticoa sulation not tolerated	
warrarm contramucations: expiring TAWAR)	AF 005, AF 004	8I2o.		Dabigatran contraindicated	
		SIES.		Dabiratran declined	
		81611		Dabigatran not indicated	
		817R.		Dabigatran not tolerated	
		812u.		Novel oral anticoagulant contraindicated	
		SIH1.		Novel oral anticoagulant declined	
		816s.		Novel oral anticoagulant not indicated	

		ATRIAL FI	cont.	<u>To Index</u>			
		Code	Code Breakdown		Comments to v30		
Clopidroge I contraindications: persistent		14LQ.		H/O: clopidogrel allergy			
(XCLO)	AF005	U6048		IX IClonidorrel causing adverse effects in theraneutic use			
(ACLES)		ZV14B		[V]Personal history of clopidogrel allergy			
					•		
		812K.		Clonidogrel contraindicated	T		
Clopidrogel contraindications: expiring	AF005	8I3R.		Clopidogrel declined			
(TXCLO)	AF 005	816B.		Clonidogrel not indicated			
		8172.		Clopidogrel not tolerated			
					₹		
		14LX		H/O: dipy ridamole allergy			
Dipyridamole CI persisting (XDIPY)	AF005	TJC44		Adverse reaction to dipyridamole			
Dipyraumor Ci perssung (ADIF1)	AP 005	U60C3		[X]Coronary vasodilators causing adverse effects in therapeutic use, not elsewhere classified			
				•	•		
		8I2b.		Dipyridamole contraindicated	T		
Dipyridamole CI expiring (TXDIPY)	AF005	SI3n.		Dipyridamole declined			
Dipyridamore C1 expiring (TADIPY)	AF 005	8I6a. 8I7.L		Dipyridamole not indicated			
		817J.		Dipy ridamole not tolerated			
				Advice about taking aspirin	Needs to be recorded within the last 6 months		
OTC salicylate codes (OSAL)	AF005	8B63.		Salicy late prophy laxis			
		8B3T.		Over the counter aspirin therapy			
					₹		
Salicylate prescriptions (SAL)	AF005				Ī		
Clopidogr el prescriptions and code (CLO)	AF005	8B6P.		Clopidogrel prophylaxis			
Dipyridamole prescriptions (DIPY)	iptions (DIPY) AF005			Prescription for antiplatelets or anticoagulants needs to be within last 6 months.			
Warfarin Prescriptions and code (WAR)	AF005, AF004	8B2K.		Anticoagulant prescribed by third party			
	,	,			•		
Strole RiskAssessment using CHAD (CHAD)	AF005, AF004	38DE.		Congestive heart failure, hy pertension, age, diabetes, stroke 2 risk score	Requires a value for result added. Requires entry every 12 months unless they have had a previous CHADS2 score of >1.		

		To Index			
		Code	Code Breakdown	Term	Comments to v30
		68W24		Bowel scope (flexible sigmoidowopy) screen: cancer detected	
		68W24	B0%	Malignant neonlasm of lip, oral cavity and pharynx	Non-melanotic skin cancers excluded. Morphology codes (starting' BB%') also not included.
			B0% B1%	Malignant neonlasm of lip, oral cavity and pharynx  Malignant neonlasm of digestive organs and perioneum	
				Malignant neoplasm of digestive organs and perioneum  Malignant neoplasm of respiratory tract and intrathoracic organs	
		B0B32z.	B2% B3	Malarmant neonlasm of resouratory tract and intratnoracic organs  Malarmant neonlasm of bone, connective tissue, skin and breast	
			B30%	Malignant neoplasm of bone, connective ussue, san and oreas:	
			B31%	Malignant neonlasm of bone and articular cartilage  Malignant neonlasm of connective and other soft tissue	
			B32%	Malismant neoniasm of connective and other soft tissue  Malismant melanoma of skin	
			B34%	Malignant meanous of sam  Malignant neoplesm of female breast	
			B35%	Malignant neoplasm of male breast	
			B36	Local recurrence of malimant tumour of breast	
			R 3v	Malignant neonlasm of bone, connective tissue, skin and breast otherwise specified	
		B34B620	B3z	Malignant neonlasm of hone, connective tissue, san and breast offerwise specified  Malignant neonlasm of hone, connective tissue, skin and breast NOS	
		(excluding B677.)	B 3%	Malignant neoplasm of bone, connective tissue, san and breast NOS  Malignant neoplasm of genitourinary organ	
			B 5%	Malignant neonlasm of genitourinary organ Malignant neonlasm of other and unspecified sites	
			B6% (excluding B677.)	Malignant ne oplasm of lymphatic and haemopoietic tissue	
			Byu.,	[XIAdditional neonlasm classification terms	
ancer Diagnosis (CAN)		ByuByu41	Byu0.	X Malignant neoplasm of lip, oral cavity and phary nx	
ancer Diagnosis (CAN)			Byu1%	[X]Malignant neoplasm of digestive organs	
			Byu2%	[X]Malignant neoplasm of respiratory and intrathoracic organs	
			Bvu3%	IX Malignant neorlasm of Pesnegory and meanoracte organs	
			Byu4.	[X]Melanoma and other malignant neoplasms of skin	
			Byu40	IX Malignant melanoma of other and unspecified parts of face	
			Byu41	X Malignant melanoma of skin, unspecified	
			Byu5%	IX Malienant neorlasm of mesothelial and soft tissue	
			Byu6.	IX Malignant neorlasm of breast	
			Byu7%	X Malignant neoplasm of female genital organs	
			Byu8%	X Malienant neoplasm of reliable genital organs	
			Byu9%	X  Malignant neoplasm of urinary tract	
		Byu5ByuE0	ByuA%	X  Malignant neoplasm of eye, brain and other parts of central nervous system	
		-,,	BvuB%	X Malienant neoplasm of thy rold and other endocrine glands	
			ByuC%	X  Malignant neoplasm of ill-defined, secondary and unspecified sites	
			ByuD%	X  Malignant neoplasms of lymphoid, haematopoietic and related tissue	
			ByuE,	[X]Malignant neoplasms of independent (primary) multiple sites	1
			B vuE0	X [Malignant neoplasms of independent (primary) multiple sites	
		K1323		Acquired renal cvst with neonlastic change	
		K01w1		Drash syndrome	
		C184.		Multiple endocrine neoplasia syndrome type 1	
				· · · · · · · · · · · · · · · · · · ·	
			958	Exception reporting: cancer quality indicators	Ī
Cancer exception codes (CANEXC)	all	958%	9181.	Excepted from cancer quality indicators: Patient unsuitable	
( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (			9182.	Excepted from cancer quality indicators: Informed dissent	
			7400	nacepted from cancer quanty macanara, all of filed dissent	1
					For Cancers newly diagnosed in the last 15 months (previously was 18 months). Review is required within
	CAN003	SBAV.			

		CON	TRACEPTION		To Index
		Code	Code Breaklown	Term	Comments to v30
There is now only one indicator - relating to Em	ergency Contracept	ion and provision of LA	RC advice.coding	for other forms of contaception are for prevalence purposes.	
Women age <=54	I				
Emergency Contraception prescriptions and	CON003	61F1.		Prescribed post-coinal OCP	In last 13 months and after 1.4.09
codes (EHC)	CONMIS	61A1.		Morning after pills given	In list 15 months and ance 1.4.09
Combined Oral Contraception prescription and code (COC)		6147.		Combined oral contraceptive	In last 12 months and after 1.4.09
Proge stoge n only pill prescription and code (POC)		6148.		Progestagen only oral contrac.	In last 12 m onfus and after 1.4.09.
Contraceptive patch prescription (CP)					In last 12 months and after 1.4.09
Contraceptive Diaphram prescription and code		6161.		CAP fined	In last 12 months and after 1.4.09
		6151.		IUD fined	ī
		615N.		Intrauterine contracentive device fitted by another GP practice	
		615P.		Intrauterine contracentive device fitted by other healthcare provider  Hormone releasing intrauterine contraceptive device fitted by other healthcare	
IUD Insertion prescription and codes		615P0			In last 10 yrs and after 1.4.09.
		7E090		Introduction of intrauterine contraceptive device	
		ZV251		IVIIntrauterine contraceotive device insertion	
		61511		Insertion of T shaped 375 millimetres squared copper coated intrauterine contraceptive device	
					<u>.</u>
		6152.		IUD removed	
		615B. 615O.		IUD expelled Intrauterine contraceptive device removed by other healthcare provider	
IUD / IUS Removal		7E092		Removal of intrauterine contraceptive device NEC	Removes from Population if dated after latest IUS or IUD code or prescription.
		7E093		Removal of displaced intrauterine contraceptive device	
		7E095		Removal of Mirena coil	
		SP03A		Expulsion of intrauterine contraceptive device	
					Ī
		7E094		Introduction of Mirena coil	
IUS Insertion prescription and code		7E096		Replacement of intrauterine system	In last 5 yrs and after 1.4.09.
tes meerioù prescription and cone		61R		Intrauterine system contraception	in that 3 yrs and uner 1.4.09.
		615P0		Homone releasing intrauterine contraceptive device fitted by other healthcare newsiter	
				p	1
		7G2AG		Insertion of Implanon	
		61KA. 61KC.		Insertion of subcutaneous contraceptive Insertion of subcutaneous contraceptive implant by other healthcare provider	
Contraceptive Implant - prescription and codes		7G2AH		Reinsertion of subcutaneous contraceptive implant by other fleatthcare provider  Reinsertion of subcutaneous contracentive	In last 3 yrs and after 1.4.09.
		7G2AJ		Insertion of etonogestrel radionaque contraceptive implant	
		9kr		Subdermal etonogestrel implant insertion enhanced services administration	l
		7G2H7		Removal of subcutaneous contracentive	T
		7G2H7 7G2HA		Removal of Implanon	
Contraceptive implant removal		7G2HB		Removal of etonogestrel radiopaque contraceptive implant	Removes from Population if dated after latest Implant insertion code or prescription.
		7G2HC		Removal of subcutaneous contraceptive implant using ultrasound guidance	
		61KF.		Removal of subcutaneous contraceptive implant by other healthcare provider	1
Contraceptive injectable - prescriptions only					Injection prescriptions are detected if prescribed in the last 12 months
		953/9			7
Sexual Health Exception codes (SHEXC)	all	9hK1.		Except sexual health indic : pt. unsuitable  Except, sexual health indic.: informed dissent	
	1	James.		party seam reason mare mornion more	1



		<u>To Index</u>			
		Code	Code Breakdown	Term	Comments to v30
LARC advice (LARCADV +LARCADV2))	CON003	8CAw.		Advice about long acting reversible contraception	Dated in last 12 months for pts on oral or patch contraceptives. Dated within 1 month of most recent
LARC BOVE (LARCADY +LARCADY2))	CON003	679K2		Education for intrauterine system	Emergency contraception code or prescription. Advice requires both written AND verbal advice. If one these codes used then assume both given
LARC Verbal advice (LARCVERB + LARCVERB2)	CON003	8CAw1		Verbal advice about long acting reversible contraception	
		8CAw2		Written advice about long acting reversible contraception	If these codes used then required to enter one code from each section to meet indicator, showing that both written and verbal advice given.
LARC written advice (LARCWRIT +LARCWRIT2)	ARCWRIT2) CON003	SCEF.		Intrauterine device contraception haffet given	WINDLE AND TELEVISION WATER STREET
		SCEG.		Long acting reversible contraception leaflet given	
					-
LARC advice exception code (LARCADVEXC_COD)	CON003	816r0		Advice about long acting reversible contraception not indicated	

		To Index			
		Code	Code Breakdown	Term	Comments to v30
			G3	Ischaemic heart disease	
			G30	Acute my ocardial infarction	
			G300.	Acute anterolateral infarction	
			G301%	Other specified anterior my ocardial infarction	
			G302.	Acute inferolateral infarction	
		G3G309.	G303.	Acute inferonosterior infarction	
		G3G309.	G304.	Posterior myocardial infarction NOS	
			G305.	Lateral myocardial infarction NOS	
			G306.	True posterior myocardial infarction	
			G307%	Acute subendocardial infarction	
			G308.	Inferior my ocardial infarction NOS	
			G309.	Acute Q-wave infarct	
			G30B.	Acute poserolateral myocardial infarction	
			G30X%	Acute transmural myocardial infarction of unspecified site	
		G30BG330z	G30y%	Other acute my ocardial infarction	
			G30z.	Acute my ocardial infarction NOS	
			G31	Other acute and subacute ischaemic heart disease	
			G311%	Preinfarction syndrome	
			G312.	Coronary thrombosis not resulting in my ocardial infarction	
Coronary Heart Disease Codes (IHD)			G3Iy%	Other acute and subacute ischaemic heart disease	
			G32	Old my ocardial infarction	
			G33	Angina pectoris	
			G330%	Angina decubitus	
			G33z%	Anzina nectoris NOS	
			G34	Other chronic ischaem ic heart disease	
			G340%	Coronary atherosclerosis	
			G342.	Atherosclerotic cardiovascular disease	
			G343.	Ischaemic cardiomy opathy	
		G342-G35X	G344.	Silent my ocardial ischaemia	
				Other specified chronic ischaemic heart disease	
			G34z%	Other chronic ischaem ic heart disease NOS	
			G35%	Subsequent my ocardial infarction	
			G38%	Postoperative my ocardial infarction	
		G38G3z	G39	Coronary microvascular disease	
				Other specified ischaemic heart disease	
			G3z	Ischaemic heart disease NOS	
		Gyu3.% (excluding			
		Gyu31)		[X]Ischaemic heart diseases	
					<del>*</del> -
			910 9101.	Exception reporting: CHD quality indicators	
Exception Codes (CHDEXC)	all	950%	9101.	Excepted from CHD quality indicators: Patient unsuitable	
			9502.	Excepted from CHD quality indicators: Informed dissent	1

C158. Subsequent are vocable inference on enterior wall  C159. Subsequent are vocable inference on enterior wall  C158. Subsequent are vocable inference on enterior due  C158. Subsequent are vocable inference on enterior due  C158. Subsequent are vocable inference  C158. Subsequent are vocable inference  C158. Subsequent are vocable inference on enterior wall  C158. Subsequent are vocable inference  C158. Subsequent are vocable inf				CHD cont.		<u>To Index</u>
Commonwealth   Comm			Code			Comments to v30
Carrier continue   Carrier con						
CSRS   Creating   CSRS   Creating   CSRS   Creating   CSRS   CS						
Comment   Comm						
CSPS. (cycling)  GSPS.						
GSMS   CREATING   GSMS   CREATING   GSMS   CREATING   GSMS   CREATING   GSMS   The content on control of atom concentration of the conc					Acute inferonosterior infarction	
CSP C CASE   CSP						
CSRA			C 10% (excluding			
Comment   Comm			G30% (excluding			
Campaigness			GJUAL)			
Comment   Comm						
Class   Clas				G309.	Acute Q-wave infarct	
Class   Clas				G30B.	Acute nosterolateral myocardial infarction	
Common				G30X%	Acute transmural myocardial infarction of unspecified site	
CISA. Subsequent are vanished after too on another last more of another vanish.  CISA. Subsequent are vanished after too of another vanish.  CISA. Subsequent are vanished after too of another vanish.  CISA. Subsequent are vanished after too of another vanish.  CISA. Subsequent are vanished after too of another vanish.  CISA. Subsequent are vanished after too of another vanish.  CISA. Passequents in vanished after too of another vanish.  CISA. Passequents in vanished after too of another vanish.  CISA. Passequents in vanished after too of another vanish.  CISA. Passequents in vanished after too of another vanish.  CISA. Passequents in vanished after too of another vanish.  CISA. Passequents in vanished after too of another vanish.  CISA. Passequents in vanished after too of another vanished after too of another vanished.  CISA. Passequents in vanished after too of another vanished after too of another vanished another vanished.  CISSA. NACA on a sunnamed van vanished after too of another vanished after too of another vanished another vanished.  CISSA. NACA on a sunnamed van vanished after too of another vanished after too of anot				G30y%	Other acute my ocardial infarction	
CSSS. Showever any control factor of service wall.  CSSS. Showever any control factor of service wall.  CSSS. Showever any control factor of service wall.  CSSS. Showever any control factor of service for service wall.  CSSS. Showever any control factor of service for service wall.  CSSS. Showever any control factor of service for service wall.  CSSS. Prospective to service wall and service of service wall.  CSSS. Prospective to service wall and service of service wall.  CSSS. Prospective to service wall and service of service wall.  CSSS. Prospective to service wall and service of service wall.  CSSS. Prospective to service wall and service of service wall.  CSSS. Prospective to service wall and service of service wall and service wall and service wall.  CSSS. Prospective to service wall and service of service wall and service wa	Myocardial infarction codes (MI)	CHD006		G30z.	Acute my ocardial infarction NOS	
C351				G35	Subsequent my ocardial infarction	
CSSS. Shopeous as we would all select not of most stars.  CSSS. Shopeous as we would all select not of most star.  CSSS. Shopeous as we would all select not of most star.  CSSS. Shopeous as we would all select not of most star.  CSSS. Properties to the we will be selected as the select						
C35X   Showness are varied in factions of suscentified on the control of the Course			G35%	G351.	Subsequent my ocardial infarction of inferior wall	
C35%   Sheepens are varied in factories of suscentified one				G353.	Subsequent my ocardial infarction of other sites	
CSBS   Processive transmost in control inferitorio of antirotic valid				G35X.		
C381				G38	Postone rative my ocardial infarction	
CSSE Description of the Control of t				G380.	Postonerative transmural myocardial infarction of anterior wall	
C381. Passecretive transmust an exactal infection of other date.  C382. Passecretive transmust an exactal infection of some of old as considerable and consider			G38%	G381.	Postonerative transmural myocardial infarction of inferior wall	
CESS   Proceedings of the Control				G382.		
City				G383		
Comment   Comm						
Comment   Comm						
Cycle   Nysocrella Harction exception code   Nysocrella Harction of unpercedual on			Could			
Worselfall Hardinaccoption codes MINUX)  September procedure and exception codes (IP)  CID000  SEP Recording Exception Codes (IP)  CID000			Gyu36			1
CHIDNE   Street from a viscatific aftering matter and content aftering disease						1
CHIDNE   Street from a viscatific aftering matter and content aftering disease			95Af		Exception reporting managed influention quality indicators	T .
MMIX. Described from nyocardial inferction quality indicates: patient annualshie  BP Recording Codes (BP) CID002 2684, 26441, 2644, 26444, 2644,		CHD006	90.010			
P Recording Codes (BP)  CID002  2005; (Except 240th, 2005) 2005; 2004; 2005) 2005; 2004; 2005; 2	(MIEXC)	CIIDOO			Excepted from myocardial infarction quality indicators; nation unquitable	
BP Recording Codes (BP)  CID002  288, 2484			Jane 1.		Excepted from any ocasions anarction quanty materials. panels undunion	<u>l</u>
BP Recording Codes (BP)  CID002  288, 2484		_				T
2466, 2464,	BP Passardies Codes (BP)	CHDON	2468., 246H., 246L,		OE Mood reasons reading	
		CHD002	246h., 246l., 246j.,		O.E 0000d pressare reading	system to deal with Read coding of Values.
						=' -
Station BP therapy (HTMAX) CH092 SRLs. Platest on maximal solerated anothy pertensive therapy	BP Recording Exception Codes (BPEX)	CHD002	8I3Y.		Blood pressure procedure refused	
Maximal BP therapy (HTMAX) CHD002 8BL0. Patient on maximal tolerated antihy pertensive therapy						<del>-</del>
	Maximal BP therapy (HTMAX)	CHD002	SBLO.		Patient on maximal tolerated antihy pertensive therapy	1

		(	CHD cont.		<u>To Index</u>
			Code Breakdown	Term	Comments to v30
		TATE:		H/O: aspirin allerey	
Salicylate contra-indications:persistent (XSAL)	CHD005, CHD006	ZV148		IV IPersonal history of aspirin allergy	
manyane contra-manananan-personem (2012)	CIIDOO, CIIDOO	U6051		IX ISalicy lates causing adverse effects in therapeutic use	
		TJ53.		Adverse reaction to salicylates	
		8124		Asnirin prophy layis contra, indicated	I
	CHD005, CHD006	8I38.		Asnirin prophy laxis refused	
Salicylate contra-indications:expiring (TXSAL)	CHD005, CHD000	8166.		Aspirin not indicated	
		8170.		Aspirin not tolerated	
		•			•
		14T.P.		H/O: warfarin allergy	т
			T142	Advance reaction to anticoamlante	1
		TJ42% (except	TJ421	Adverse reaction to warfarin sodium	
Varfarin contraindications: persistent			TJ422	Adverse reaction to nicoum alone	
XWAR)	CHD005, CHD006	TJ420)	TJ423	Adverse reaction to obenindione	
anaa,			TJ42z	Adverse reaction to anticoagulants NOS	1
		U6042		IXIAnticoagulants causing adverse effects in therapeutic use	1
		ZV14A		IV/Personal history of warfarin allergy	
		ZA 14A		y preisona assory or warrara anergy	1
					T
		8125.		Warfarin convaindicated	
		SIJE.		Warfarin declined	
	CHD005, CHD006	8165.		Warfarin notindicated	
		8171.		Warfarin nottolerated	
		8I2R.		Anticoagulation contraindicated	
		8I3d.		Antic on sulation declined	
		816N.		Antic on gulation not indicated	
		817A.		Anticoa sulation not tolerated	
Varfarin contraindications: expiring TXWAR)		8I2o.		Dabizatran contraindicated	
		SIES.		Dabigatran declined	
		81611		Dabigatran not indicated	
		817R.		Dabigatran not tolerated	
		812n		Novel oral anticoagulant contraindicated	
		SIHI		Novel oral anticoarulant declined	
		SI6c		Novel oral anticoarulant not indicated	
		817V.		Novel oral anticoagulant not tolerated	
		01/ V.		Nover orar annicoaguiant not tolerated	<u> </u>
		LEO		Diffe elonidamal allarms	т
lopidroge I contraindications: persistent	CHD005, CHD006	U6048		IXICionidorrel causing adverse effects in therapeutic use	
(CLO)	CHD005, CHD006	U6048 ZV14B		IXIClonidorrel causing adverse effects in theraneutic use IVIPersonal history of clonidogrel allergy	1
		AV 14B		(v)r ersonar mstory of exopatogrerattergy	1
					-
		812K		Clonidogrel contraindicated	
lopidrogel contraindications: expiring	CHD005, CHD006	SI3R.		Clonidogrel declined	
IXCLO)	CILD OU	816B.		Cloridogrel not indicated	
		8172.		Clopidogrel not tolerated	1
<u> </u>					-
		6718.		Advice about taking aspirin	
OTC salicylate codes (OSAL)	CHD005, CHD006	8B63.		Salicylate prophy laxis	Recorded in previous 15 months
		8B3T.		Over the counter aspirin therapy	
					•
					Ī
alicylate prescriptions (SAL)	CHD005, CHD006				
				and the second s	Prescribed in In last 15 months for CHD005, and in last 6 months for CHD006
Thousdoor el prescriptions and code (CLO)	CHD005, CHD006	8B6P.			
Clopidogr el prescriptions and code (CLO)	CHD005, CHD006	SB6P.		Clopidogrel prophylaxis	Prescribed in in ass 15 months for CHD005, and in ass 6 months for CHD006
Clopidogy el prescriptions and code (CLO) Warfarin Prescriptions and Code (WAR)	CHD005, CHD006 CHD005, CHD006	8B6P. 8B2K.		Anticoagulant prescribed by third party	Prescribed in in and 13 minima for CHL0005, and in and 6 minima for CHL0006

			<u>To Index</u>		
		Code	Code Breakdown	Term	Comments to v30
		14LL.		H/O: betablocker allergy	
		TJC00		Adverse reaction to practolol	
		TJC02	TJC6.	Adverse reaction to propranolol Adverse reaction to betablockers	
			TJC61	Adverse reaction to netablocaers  Adverse reaction to acebutolol	
			TJC62	Adverse reaction to atendial	
			TJC63	Adverse reaction to labetalol	
		TJC6%	TJC64	Adverse reaction to metoprolol	
		13C6%	TJC65	Adverse reaction to madolol	
			TJC66	Adverse reaction to oxprenolol	
Beta Blocker contraindications:persistent	CHD006		TJC67	Adverse reaction to sotalol	
(XBB)	CHD000		TJC68	Adverse reaction to timolol	
			TJC6z	Adverse reaction to betablockers NOS	
		U60B7		[X]Beta-adrenoreceptor antagonists causing adverse effects in therapeutic use, not elsewhere classified	
		U60B9		[X]Adverse reaction to bisoprolol	
		U60BA		IX IAdverse reaction to carvedifol	
		U60BB		IX (Adverse reaction to nebivolo)	
		ZV14C		[V]Personal history of betablocker allergy	
		ZVu6		IX IPersonal history of allersy to bisonrolol	
		ZVu6o		[X]Personal history of allergy to carvedilol	
		ZVu6q		[X]Personal history of allergy to nebivolol	
					-
		8126.		Beta blocker contraindicated	
		8I2a.		Bisoprolol contraindicated	
		812h.		Carvedilol contraindicated	
	CHD006	812i. 8136.		Nebivolol contraindicated Beta blocker therapy refused	
		8136. 8IAS.		Beta biocker therapy refused Bisoprolol therapy refused	
		SIAT.		Carvediol therapy refused	
Beta Blocker contraindications: expiring		SIAV.		Nebivolol therapy refused	
(TXBB)		8162.		Beta blocker not indicated	
î î		8161.		Bisoprolol not indicated	
		8161.		Carvedilol not indicated	
		816k		Nebivolol not indicated	
		8173.		Beta blocker nottolerated	
		817K.		Bisoprolol not tolerated	
		8171		Carvedilol not tolerated	
		8I7M.		Nebivolol not tolerated	1
					-
Beta Blocker prescriptions (BB)	CHD006				Prescribed in last 6 months
					T
		14LM.		H/O: angiotensin converting enzy me inhibitor allergy	
		K0430		Acute renal failure due to ACE inhibitor	
Ace inhibitor contraindications: persistent		U60C4		[X]Angiotensin-converting-enzy me inhibitors causing adverse effects in therapeutic	
(XACE)	CHD006	ZV14D		IV/Personal history of anziotensin-converting-enzyme inhibitor allergy	
(ACL)		TJC77	1	Adverse reaction to cantonril	
		TJC78		Adverse reaction to employed  Adverse reaction to england	
		TJC79		Adverse reaction to ramipril	
		1		The state of the s	<u>I</u>
		8128.		Angiotensin converting enzyme inhibitors contraindicated	T
Ace inhibitor contraindications: expiring		813D.		Anriotensin converting enzyme inhibitor declined	
(TXACE)	CHD006	8164.		Anziotensia convertina enzy me inhibitor not indicated	
(		8174.		Angiotensia converting enzyme inhibitor not tolerated	
				The state of the s	1

		C	To Index		
			Code Breakdown	Term	Comments to v30
All antagonist contraindications: persisting		14LN.		H/O: angiotensin II receptor antagonist allergy	
XAII)	CHD006	U60CB		IX1Angiotensin II recentor antagonists causing adverse effects in therapeutic use	
AAII)		ZV14E		V Personal history of angiotensin II receptor antagonist allergy	
		812H.		Anziotensin II receptor antagonists contraindicated	
AII antagonist contraindications: expiring	CHD006	SI3P.		Angiotensin II receptor antagonist declined	
(TXAII)	CHD000	816C.		Anziotensin II receptor antagonist not indicated	
		8175.		Angiotensin II receptor antagonist not tolerated	
ACE inhibitor prescriptions (ACE)	CHD006				Prescribed in last 6 months
A II antagonist prescription codes (AII)	CHD006				Prescribed in last 6 months.
					1
		U60CA		XIStatin causing adverse effect in therapeutic use	T
Statin contraindications persisting (XSTAT)	CHD006	TJC24		IX IStatin causing adverse effect in theraneutic use  Adverse reaction to simyastatin	
Annua Court annual annual persisting (ASTAT)	CILDOO	TJC25		Adverse reaction to sim vastatin  Adverse reaction to prayastatin	1
		13025		Adverse reaction to pravastatin	1
	1	lane .			T
		8BL1.		Patient on maximal tolerated lipid lowering therapy	
Exception from serum cholesterol target -	CHD006	8I3C. 8I27.		Statin declined	4
expiring (TCHEXC)	CHD006			Statins contraindicated	
		8163. 8176.		Statin not indicated Statin not tolerated	
		81/6.		Statin not toterated	<u>.</u> .
					T
Statin prescriptions (STAT)					Prescribed in last 6 months
		101		HO: influence version alleren	-
Flu vaccine contraindications: persisting	CHD007	U60K4		IX II of the same vaccine afternoon.  IX II of the same vaccine causing adverse effects in the rapeutic use	
(XFLU)	CILDON	ZV14F		IV Personal history of influenza vaccine allergy	
		201240		V is Commission of Ministerior vaccine and gy	<u>1</u>
		812F0		Seasonal influenza vaccination contraindicated	T .
		816D0		Seasonal influenza vaccination continued ated	1
		68NE.		No consent - influenza imm.	1
		68NE0		No consent for seasonal influenza vaccination	
Flu vaccine contraindications: expiring	CHD007	9OX51		Seasonal influenza vaccination declined	
(TXFLU)		9OX52		First intranasal influenza vaccination declined	
		9OX53		Second intranasal influenza vaccination declined	
		9OX54		First intranasal seasonal influenza vaccination declined	
		9OX56		Second intranasal seasonal influenza vaccination declined	
	•				•
		69ED		Seasonal influenza vaccination	T
		65E20		Seasonal influenza vaccination given by other healthcare provider	
		65ED0		Seasonal influenza vaccination given by pharmacist	
		65ED1		Administration of first intranasal seasonal influenza vaccination	
		65ED2		Seasonal influenza vaccination given while hospital innatient	
Flu vaccine prescriptions and codes	CHD007	65ED3		Administration of second intranasal seasonal influenza vaccination	Prescribed in the previous 1st September to 31st March.
		65E21		First intranasal seasonal influenza vaccination given by other healthcare provider	
		65E22		Second intranasal seasonal influenza vaccination given by other healthcare provider	
		65E E.		Administration of intranasal influenza vaccination	
		65E E0		Administration of first intranasal influenza vaccination	
		CERTIFIE		A design in the second	7

			CKD		To Index
		Code	Code Breakdown	Term	Comments to v30
	-				
Age>=18	1				
		1712.		Chronic kidney disease stage 3	
		171B. 171C.		CKD stage 3 with proteinuria CKD stage 3 wthout proteinuria	
		1725.		Chronic kidney diseas stage 3A	
		17ID.		CKD stage 3A with proteinuria	
		171E.		CKD stge 3A wthout proteinuria	
		1716. 171F.		Chronic lidney diseas stage 3B CKD stage 3B with proteinuria	
		1ZIG.		CKD stage 3B with proteinuria CKD stage 3B without proteinuria	
CKD Codes Stage 3 - 5 (CKD)		1213.		Chronic kidney disease stage 4	See bottom of sheet for classification of CKD.
		121H.		CKD stage 4 with proteinuria	
		121J.		CKD stage 4 wthout proteinuria	
		1714. 171K.		Chronic kidney disease stage 5 CKD stage 5 with proteinuria	
		171L		CKD stage 5 with proteinuria CKD stage 5 without proteinuria	1
		K053.		Chronic kidney disease stage 3	
		K054.		Chronic kidney disease stage 4	
		K055.		Chronic kidney disease stage 5	1
		Lowe		De la companya de la	<b>-</b>
		1210. 1217.		Chronic kidney disease stage 1 CKD stage 1 with proteinuria	
		1718.		CKD stage 1 who ut proteinuria	
Excluded CKD codes		1711		Chronic kidney disease stage 2	These codes exclude the patient if dated later than the most recent CKD Codes 3-5.
actioned CKD codes		1219.		CKD stage 2 with proteinuria	These codes exclude the patient it dated their than the most recent CKD Codes 5-3.
		1ZIA. K051.		CKD stage 2 wthout proteinuria	
	K051. K052.		Chronic kidney disease stare 1 Chronic kidney disease stare 2		
		I I I I I I I I I I I I I I I I I I I		Linonic istately disease stage 2	4
Exception codes (CKDEXC)	all	9hE0.		Ex ch kid dis ou ind: Pat uns	
acephoneous (CKDEAC)	an .	9hE1.		Ex ch kid dis qua ind: Inf dis	
					]
		246% (Except 2460.,			
IP Recording Codes (RP)	CKD002	2468., 246H., 246L.,		O.F blood pressure reading	Blood Pressure values should also be recorded for the Contract and your software system will have a
3 P Recording Codes (BP)	CKD002	2468., 246H., 246L., 246K., 246L., 246M., 246h., 246L., 246L.		O.E blood pressure reading	Blood Pressure values should also be recorded for the Contract and your software system will have a system to deal with Read coding of Values. Requires recording in the previous 15 mouths
BP Recording Codes (BP)	CKD002	2468., 246H., 246L., 246K., 246L., 246M.,		O.E - blood pressure reading	
RP Recording Codes (BP)	CKD002	2468., 246H., 246L., 246K., 246L., 246M., 246h., 246L., 246L.		O.E blood pressure reading	
		2468., 246H., 246L., 246K., 246L., 246M., 246k., 246L., 246j., 246k)			
BP Recording Codes (BP)  BP Recording Exception Codes (BPEX)	CKD002	2468., 246H., 246L., 246K., 246L., 246M., 246h., 246L., 246L.		OE - blood pressure reading  Bood pressure procedure refused	
3 P Recording Exception Codes (BPEX)	CKD002	2468., 246H., 246L., 246K., 246L., 246M., 246k., 246L., 246J., 246k)			
3 P Recording Exception Codes (BPEX)		2468., 246H., 246L., 246K., 246L., 246M., 246k., 246L., 246j., 246k)			
3 P Recording Exception Codes (BPEX)	CKD002	2468., 246H., 246L., 246K., 246L., 246M., 246k., 246L., 246J., 246k)		Blood pressure procedure refused  Pasters on an axion all foliazored satisfy personsive therapy	
	CKD002	2468., 2461., 2461., 2464., 2464., 2466., 2466., 2466., 2466., 2466.)  813Y.  8BLO.		Blood pressure procedure refused  Place or on a stain at belevined authy personive therapy  Bit personive de deserve	
BP Recording Exception Codes (BPEX)	CKD002	2468., 246H., 246L., 246K., 246L., 246M., 246k., 246L., 246J., 246k)		Blood pressure procedure refused  Patent on a satural reference analyspersonive therapy  Marpersonive deserve.	
BP Recording Exception Codes (BPEX)	CKD002	2468., 2461., 2461., 2464., 2464., 2466., 2466., 2466., 2466., 2466.)  813Y.  8BLO.	G240.	Blood pressure procedure refused  Parties or an axistal stienard satisp personnie flerapy  Bly personnie delineare  Scoolere analizanie inversonie	
3 P Recording Exception Codes (BPEX)	CKD002	2468., 2461., 2461., 2464., 2464., 2466., 2466., 2466., 2466., 2466.)  813Y.  8BLO.	G240. G240Z G241.	Blood pressure procedure refused  Patient on an axinal inference surful pertensive therapy  Has pertunive disease  Engelish percension  Scoolary an administ to inversion  Scoolary and administ to inversion  Scoolary and inversion  Scoolary and the pertunion  Scoolary and the pertun	
BP Recording Exception Codes (BPEX)	CKD002	2468., 2461., 2461., 2464., 2464., 2466., 2466., 2466., 2466., 2466.)  813Y.  8BLO.	G240. G240z G241z G241z	Blood pressure procedure refused  Frateria on actional siderated analy personalve therapy  Bloomerster classes  Basefull to personane  Scoodary and almost to revenue  Scoodary and admission t	
BP Recording Exception Codes (BPEX)	CKD002	2468., 2461., 2461., 2464., 2464., 2466., 2466., 2466., 2466., 2466.)  813Y.  8BLO.	G240. G240z G241z G241z G241x	Blood pressure procedure refused  Parent on action is skelened unity personale therapy  Harvertouwer, diseased unity personale therapy  Harvertouwer, diseased  Reseated to reversion  Reseated to reversion  Reseated an object of reversion to rev	
3 P Recording Exception Codes (BPEX)	CKD002	2468, 2464,	G240. G240z G241z G241z G241z G24z	Bood pressure procedure refused  Pariest non assistal silverand safely perceive the easy.  Experience disease  Constitution of the control of	
BP Recording Exception Codes (BPEX) Maximal BP therapy (HTMAX)	CKD002	2468, 2464,	G240. G240z G241z G241z G24z G24z G24z G24z	Blood pressure procedure refused  Places on a sixtu at leterard anthy personale therapy  Places on a sixtu at leterard anthy personale therapy  Places on the remains  Resented to be remains  Resented as the remains  Resented as the remains  Resented as the remains  Resented as the remains on the remains  Resented as the remains of the	
BP Recording Exception Codes (BPEX)	CKD002	2468, 2464,	G240. G240z G241z G241z G241z G24z G24z G24z G24z	Blood pressure procedure refused  (Rycertas et al. assists desired satisp personnie flerapp  (Rycertas et al. assists desired satisp personnie flerapp  (Rycertas et al. assists desired satisp personnie Rycertas et al. assists desired satisfacture flerappear (Rycertas)  (Rycertas et al. assists desired et al. assists des	
BP Recording Exception Codes (BPEX) Maximal BP therapy (HTMAX)	CKD002	2468, 2464,	G240. G240x G241x G241x G241x G244. G24c G24c G24c G24c G24c	Blood pressure procedure refused  Parent on a sained inference analyze pressurine therapy  Physician contained the processor of the processor	
BP Recording Exception Codes (BPEX) Maximal BP therapy (HTMAX)	CKD002	2468, 2464,	G240. G240. G240. G241. G241. G242. G244. G242. G242. G242. G25.	Blood pressure procedure refused  Process on a seize of victored anthy personne discrapy  Haractican's diseased anthy personne discrapy  Haractican's diseased anthy refused  Socialized anthy and personne ASS  Socialized anthy anthy and personne ASS  Socialized anthy anthy and personne ASS  Socialized anthy ant	
BP Recording Exception Codes (BPEX) Maximal BP therapy (HTMAX)	CKD002	2468, 2464,	G240, G240z G241z G241z G24z G24z G24z G24z G24z G26z G26z G26z G26z	Blood pressure procedure refused  Frateria on against all decord analy pervision the trapy  Bloomerine classes  Basefield by pervision  Scoolage an advance for common  Scoolage and advance for common  Bloomerine for common  Stoolage for advance for common  Scoolage for pervision SSS  SSOO per pervision SSS  SSOO per pervision SSS  SSOO per pervision SSS  SSOO per pervision SSS  SSOO pervision SSSO pervision for Health and Clinical Excellence  2013	
BP Recording Exception Codes (BPEX) Maximal BP therapy (HTMAX)	CKD002	2468, 2464,	G246. G246. G2412. G2341. G2342. G2343. G2340. G234	Blood pressure procedure refused  By pertureire delessare  By pertureire delsare  By pertureire d	
BP Recording Exception Codes (BPEX) Maximal BP therapy (HTMAX)	CKD002	2468, 2464,	G246. G246. G2412. G2341. G2342. G2343. G2340. G234	Blood pressure procedure refused  [Pasters on a sainal statemed authy personable therapy  [Basters of the pressure of the pres	
BP Recording Exception Codes (BPEX) Maximal BP therapy (HTMAX)	CKD002	2468, 2464,	G248. G248. G248. G241. G241. G242. G242. G243. G243. G244. G25. G25. G25. G25. G25. G25.	Blood pressure procedure refused  By pertureire delessare  By pertureire delsare  By pertureire d	

			CKD cont.		<u>To Index</u>
		Code	Code Breakdown	Term	Comments to v30
Hypertension resolved (HYPRES)	CKD003	21261		Hypertension resolved	
nypertension reson en (HTFKES)	CKD003	212K.		Hypertension resolved	
	•				•
		121B.		Chronic kidney disease stage 3 with proteinuria	Ī
		12ID.		Chronic kidney disease stage 3A with proteinuria	
		121F.		Chronic kidney disease stage 3B with proteinuria	1
		121H.		Chronic kidney disease stage 4 with proteinuria	
Proteimria (CKDPRT)	CKD003	121K.		Chronic kidney disease stage 5 with proteinuria	
		R110.		[D]Proteinuria	
		R1100		ID1Albuminuria	
		R1103		[D]Microalbuminuria	
		R110z		IDIProteinuria NOS	
					<u>*</u>
		14LM.		H/O: angiotensin converting enzy me inhibitor allergy	Ī
		K0430		Acute renal failure due to ACE inhibitor	1
				[X]Angiotensin-converting-enzyme inhibitors causing adverse effects in therapeutic	
Ace inhibitor contraindications: persistent		U60C4		186	
XACE)	CKD003	ZV14D		IV/Personal history of anxiotensin-converting-enzyme inhibitor allergy	
		TJC77		Adverse reaction to cantonril	
		TJC78		Adverse reaction is englantil	
		TJC79		Adverse reaction to ramipril	
		130.77		Addition to tampen	<u>.</u>
		8128.		Angiotensin converting enzy me inhibitors contraindicated	т
ce inhibitor contraindications: expiring		8128. 813D.			
TXACE)	CKD003	813D. 8164.		Angiotensin converting enzyme inhibitor declined  Angiotensin converting enzyme inhibitor not indicated	
IXACE)		8174.			
		81/4.		Angiotensin converting enzyme inhibitor not tolerated	l .
					•
		44ID.		Urine protein/creatinine ratio	
Albumin/Creatinine or Protein/Creatinine Ratio APCR)	CKD004	44lzX 46TC.		Random urine protein:creatinine ratio	
APCR)				Urine album in:creatinine ratio	
		46TD.		Urine microalbumin:creatinine ratio	<u>l</u>
					•
Trine specimen exceptions (URINEEXC)	CKD004	9RX.		Declines to give urine specimen	If coded in the previous 15 m onths
					±
		LIEN.		U.O: annistancia II recentur antanonist allarms	Ī
II antagonist contraindications: persisting	CKD003	U60CB		[X]Angiotensin II receptor antagonists causing adverse effects in therapeutic use	1
XAII)		ZV14E		[V]Personal history of angiotensin II receptor antagonist allergy	
					1
		812H.		Angiotensin II receptor antagonists contraindicated	Ī
II antagonist contraindications: expiring		SIJP.		Angiotensia II receptor antagonisis contramutearea  Angiotensia II receptor antagonist declined	1
TXAID	CKD003	816C.		Anziotensin II recentor antagonist not indicated	
		8175.		Angiotensin II receptor antagonist not tolerated	1
				The state of the s	ı
		1			T
ACE inhibitor prescriptions (ACE)	CKD003				Prescribed in last 6 months
A II antagonist prescription codes (AII)	CKD003				Prescribed in last 6 months.

Classification of CRD - From US National Kidney Foundation		To In
·	GFR	
tage 1 - Kidney Damage with normal or raised GFR	·=90	
tage 2 - Kidney Damage with mild decrease GFR	60 - 89	
tage 3 - Moderate decrease in GFR	30 - 59	
tage 4 - Severe decrease in GFR	15 - 29	
tage 5 - Kidney Failure	< 15 (or dialy sis)	

			COPD		<u>To Index</u>
		Code	Code Breakdown	Term	Comments to v30
		нз		Chronic obstructive nulmonary disease	
		H31% (except H3101, H31y0, H3122)		Chronic bronchitis	
		H32%		Emphy sema	
				Mild chronic obstructive nulmonary disease	
COPD Diagnosis COPD)				Moderate chronic obstructive pulmonary disease	
				Severe chronic obstructive pulmonary disease	
		(excluding H3y0, and		Very severe chronic obstructive nulmonary disease	
	H3y1.)			Other specified chronic obstructive airways disease	
			H3A	End stage chronic obstructive airways disease	
				Chronic obstructive airways disease NOS	
		H5832		Eosinophilic bronchitis	
					_
				Exception reporting: COPD quality indicators	
Diagnosis - Exclusion Codes (COPDEXC)		915%		Excented from COPD quality indicators: Patient unsuitable	
			9162.	Excepted from COPD quality indicators: Informed dissent	
		8I2j.		Spirometry contraindicated	
Spirometry exception codes (SPEX)	COPD002	8I3b.		Spirometry test declined	Requires re-entry every 15 months
spirometry exception codes (SFEA)	COPDOG	816L.		Soirometry not indicated	requires re-entry every 15 months
		33720		Unable to perform spirometry	
COPD Spirometry Codes (COPDSPIR)	COPD002	745D4		Post bronchodilator spirometry	For natients diagnosed after 1.4.11. Requires entry within 3 months before to 12 months after diagnosis
COPD Spirometry Codes (COPDSP1R)	COPD002	SHRC.		Referral for spirometry	For patients diagnosed after 1.4.11. Requires entry within 3 months before to 12 months after diagnosis

		To Index			
		Code	Code Breakdown	Term	Comments to v30
		173H.		MRC Breathlessness Scale: grade 1	
		173L		MRC Breathlessness Scale: #rnde 2	
IRC Rating (MRC)	COPD003	173J.		MRC Breathlessness Scale: grade 3	
		173K.		MRC Breathlessness Scale: grade 4	
		173L.		MRC Breathlessness Scale: grade 5	
		•			•
		173J.		MRC Breathlessness Scale: grade 3	
MRC Score >=3 (MRC1)	COPD005	173K.		MRC Breathlessness Scale: grade 4	1
		173L.		MRC Breathlessness Scale: grade 5	
	•		•		<u>.</u>
		66YM.		Chronic obstructive pulmonary disease annual review	
COPD Review (COPDRVW)	COPD003	66YB0		Chronic obstructive pulmonary disease 3 monthly review	
		66YB1		Chronic obstructive pulmonary disease 6 monthly review	
				The state of the s	1
		44YA0		Oxy gen saturation at periphery	
		44YA1		Peripheral blood oxygen saturation on room air at rest	
Oxygen Saturation (OXYSAT)	COPD005	44YA3		Peripheral blood oxygen saturation on room air at rest  Peripheral blood oxygen saturation on supplemental oxygen at rest	Requires value added to code
		44YA5		Baseline SpO2 (oxygen saturation on sunotemental oxygen at rest	
	1	441 /42		naseane spoz (oxygen sauranon at peripuery)	<u>l</u> .
		T			•
Flu vaccine contraindications: persisting	COPD007	14LJ.		H/O: influenza vaccine allergy	
(XFLU)	COPD007	U60K4		[X]Influenza vaccine causing adverse effects in therapeutic use	
		ZV14F		[V]Personal history of influenza vaccine allergy	
		816D0		Seasonal influenza vaccination containdinated Seasonal influenza vaccination not indicated	
		68NE.		Seasonal influenza vaccination not indicated  No consent - influenza imm.	
				No consent - influenza mm.  No consent for seasonal influenza vaccination	
Flu vaccine contraindications: expiring	COPD007	68NE0 9OX51			
TXFLU)	COPD00/			Seasonal influenza vaccination declined	
		9OX52 9OX53		First intranasal influenza vaccination declined	
				Second intranasal influenza vaccination declined	
		9OX54		First intranasal seasonal influenza vaccination declined	
		9OX56		Second intranasal seasonal influenza vaccination declined	1
					•
		65E20		Seasonal influenza vaccination Seasonal influenza vaccination given by other healthcare provider	
		65ED0		Seasonal influenza vaccination given by pharmacist	
		65ED1		Administration of first intranasal seasonal influenza vaccination	
		65ED2		Seasonal influenza vaccination given while hospital inpatient	
Flu vaccine prescriptions and codes	COPD007	65ED3			Prescribed in the previous 1st September to 31st March.
		65E21		First intranasal seasonal influenza vaccination given by other healthcare provider	
		65E22		Second intranasal seasonal influenza vaccination given by other healthcare provider	
		65E.E.		Administration of intranasal influenza vaccination	
		65E E0		Administration of first intranasal influenza vaccination	
		65EE1		Administration of second intranasal influenza vaccination	

		CVD-	Primary Prevention	<u>To Index</u>	
		Code	Code Breaklown	Term	Comments to v30
Population is:- Patients newly diagnosed with Hy population	pertension since 1.4	.09. Patients with co-e	xisting CHD, Strole	TIA, Diabetes, PVD, Familial Hypercholesterolaemia or CKD are excluded from	
Codes for Hypertension, CHD, Stroke, TIA, Dial	tetes and CKD as di	etailed in relevant sect	tions within this spre	adsheet.	
Patients age under 30 or 75 or over, newly diagrams lifestyle advice (CVD-PP002).	osed with hyperten	sion (in the previous 1s	t April to 31st Mare	h) are excluded from requiring risk assessment (CVD-PP001) but do still require	
		C3200		Familial by percholesterolaemia	1
		C3201		Hyperbetalipoproteinaemia	
Familial Hypercholesterolaemia		C3203		Low-density-linoprotein-type (LDL) by perlinoproteinaemia Fredrickson's by perlinoproteinaemia, type IIa	Excludes from the population if diagnosed before the hypertension diagnosis date.
		C3204 C3205		Fredrickson's hy perlinoproteinaemia, ty pe IIa Familial defective apolipoprotein B-100	
		C3220	+	Familial combined by perlipidaemia	
				нашин соновыму разромены	<u></u>
		9hJ0.		Excepted from cardiovascular disease quality indicators: patient unsuitable	T
CVD RiskAssessment Exception codes (CVDEXC)	all	9Ы1.		Excepted from cardiovascular disease quality indicators: informed dissent	
		9hJ0.		Excepted from cardiovascular disease quality indicators: patient unsuitable	<del>T</del>
		9hJ1.		Excepted from cardiovascular disease quality indicators: informed diseast	1
		9Oh9.		Cardiovascular disease risk assessment declined	
CVD RiskAssessment Exception codes		SIAK.		Cardiovascular disease high risk review declined	Codes 8IAK., 90h9., 8IEK., 8IEV.and 9NSB. will only exclude patient from the risk assessment indicator
(CVDEXC1)	CVD-PP001	SIEL		ORISK cardiovascular disease risk assessment declined	Codes 61AK., 9009., 61EK., 61EV and 9036. Will only excude placent from the risk assessment man They will still require lifestyle advice.
		SIEV.		QRISK2 cardiovascular disease risk assessment declined	
		9NSB. 8IEv.		Unsuitable for ORISK2 cardiovascular disease risk assessment	
		SIEV. 9NSL		ASSIGN2 cardiovascular disease risk assessment declined Unsuitable for ASSIGN2 cardiovascular disease risk assessment	
		9NSJ.		Unsultable for ASSIGNZ cardiovascular disease risk assessment	
		662m.		JBS cardiovascular disease risk 20 - 30 percent over next ten years	T
CVD RiskAssessment >20% codes (CVDASS1)	CVD-PP001	662n.		JBS cardiovascular disease risk>30 percent over next ten years	
					<del>,</del> -
		38B 10		CVD (cardiovascular disease) risk assessment by third party	
		38DF.		QRISK cardiovascular disease 10 year risk score	
		38DR.		Framingham 1991 cardiovascular disease 10 year riskscore	
CVD RiskAssessment codes (CVDASS2)	CVD-PP001	38DP.		QRISK2 cardiovascular disease 10 year risk score	Require score entered of > 20
		38G6.		Joint British Societies cardiovascular disease risk score	
		38G8.		Dundee CVS risk score	
		38D6.		Assessing cardiovascular riskusing Scottish Intercollegiate Guidelines Networkscore	
					= <del>-</del>
Lifestyle Counselling (LSAVD)	CVD-PP002	67H	+	Lifesty le counselling	Requires entry in the last 15 months for new hypertension since 1.4.09
		67H8.		Lifesty le advice regarding by pertension	
		No.	_		7
Statin contraindications persisting (XSTAT)	CVD-PP001	U60CA TJC24		(X)Statin causing adverse effect in therapeutic use Adverse reaction to simyustatin	
manufacture (1974)		TJC25		Adverse reaction to sintvastatin	
			•		
		SBL1.		Patient on maximal tolerated lipid lowering therapy	
Exception from serum choksterol target -		SI3C.		Statin de clined	
expiring (TCHEXC)	CVD-PP001	8127.		Statins contraindicated	
		8163.		Statin not indicated	
		8176.	1	Statin not tolerated	<u></u>
	CVD-PP001	1	1		T
Statin prescriptions (STAT)	CVD-PP001				prescribed in the last 6 months
		68L		Exercise status screening	There has the control of CVP PROST TROP to control to the Control of the Control
For Scot-PASQ	CVD-PP003				There is no data extraction for CVD-PP003. 38Q5, is a new code in the October 2013 release of Read codes, Prior to this code 68L., was recommended for use. As there is no data extraction for this indiator.
Scot-PASQ CVD		38Q 5.		Scot-PASQ - Scotish Physical Activity Screening Questions	

		D	EMENTIA		<u>To Index</u>
		Code	Code Breakdown	Term	Comments to v30
			Eu02.	IX IDementia in other diseases classified elsewhere	
			Eu020	IX IDementia in Pick's disease	
			Eu021	[X]Dementia in Creutzfeldt-Jakob disease	
		Eu02%	Eu022 Eu023	IXIDementia in Huntington's disease IXIDementia in Parkinson's disease	
			Eu024	[X]Dementia in Furumon s'unease [X]Dementia in human immunodef virus [HIV] disease	
			Eu02v	[X]Dementa in other specified diseases classif elsewhere	
			Eu02z	[X] Unspecified dementia	
			E00	Senile and presenile organic psychotic conditions	
			E000.	Uncomplicated senile dementia	
			E001%	Presenile dementia	
		E00%	E002%	Senile dementia with depressive or paranoid features	
			E003.	Senile dementia with de lirium	
			E004% E00v.	Arteriosclerotic dementia Other senile and presenile organic psychoses	
			E00y.	Other senile and presenile organic psychoses Senile or presenile psychoses NOS	
			E002	Senite or presente usv choses NOS (XIVascular dementa	1
			Eu010	IXIVascular dementa IXIVascular dementa of acute onset	
			Eu011	[X]Multi-infarct dementia	1
D		Eu01%	Eu012	[X]Subcortical vascular dementia	V30 added code A4110
Dementia			Eu013	IX lMixed cortical and subcortical vascular dementia	V30 added code A4110
			Eu01v	(X)Other vascular dementa	
			Eu01z	[X]Vascular dementa, unspecified	
i i		E02v1		Druz-induced dementia	
		E012%	E012.	Other alcoholic dementia	
			E0120	Chronic alcoholic brain syndrome	
			Eu00, Eu000	X Dementia in Alzheimer's disease  X Dementia in Alzheimer's disease with early onset	
		Eu00%	Eu001	X Dementia in Abheimer's disease with early onset  X Dementia in Abheimer's disease with late onset	ì
		1.00076	Eu002	IX IDementia in Alzheimer's dis. atvnical or mixed type	
			Eu00z	IXIDementia in Alzheimer's disease, unspecified	
		E041.		Dementia in conditions EC	
		Eu041		[X]Delirium superimposed on dementia	
			F110.	Alzheimer's disease	
			F1100	Alzheimer's disease with early onset	
		F110F112.	F1101	Abheimer's disease with late onset	
			F111. F112.	Pick's disease Senile deveneration of brain	
		F116.	F164.	Senile degeneration of brain Lewy body disease	1
		A4110	1	Lewy body disease Sooradic Creutzfeldt-Jakob disease	
					<u>.</u>
		9hD0.		Exc demen qual ind: Pat unsuit	T
Dementia Exclusions (DEMEXC)	all	9hD1.		Exc demen qual ind: Inform dis	
					<u> </u>
		423		Hae moglobin e stimation	
FBC (FBC)	DEM003	426		Red blood cell (RBC) count	n
FBC (FBC)	DESIGNS	42A		Mean corpuscular volume (MCV)	Requires entry within time period 6 months before to 6 months after the first diagnosis date
		42H		Total white cell count	$oldsymbol{1}$
		,	,		-
		4464.		Blood calcium level	
		4418. 44h7.		Serum calcium Plasma calcium level	
		4407. 44IE.		Serum ionized calcium (pH 7.4) level	1
		44IE. 44ID	1	Serum ionized calcium (pH 7.4) level	
Calcium (CALC)	DEM003	44IC.		Corrected serum calcium level	Requires entry within time period 6 months before to 6 months after the first diagnosis date. V30 added codes 44b90 and 44ICO
		44h9.		Plasma corrected calcium level	codes 44090 and 441C0
		44hD.		Blood ionised calcium level	
		40 721		Calcium adjusted level	
		44h90 44IC0		Plasma adjusted calcium concentration	
		441C0		Serum adjusted calcium concentration	1

		DEM	To Index		
		Code	Code Breakdown	Term	Comments to v30
		44TM.		Blood glucose series	
		440%		Serum glucose level	
		44a%		Plasma glucose level	
		44T1%		Random blood sugar	
		44T2%		Fasting blood sugar	
		44T3.		2 hours post food blood sugar	
		44TA.		Plasma glucose	
		44TE.		30 m inute blood slucose level	
		44TF. 44TG.		60 m inute blood glucose level 90 m inute blood glucose level	
		44TH.		120 minute blood glucose level	
		44TL		150 minute blood glucose level	
		44TJ.		Blood slucose level	
Glucose GLUC)	DEM003	44TJ8		Baseline blood glucose level	Requires entry within time period 6 months before to 6 months after the first diagnosis date
Olicon GLCC)	Dames	44TK.		Fasting blood glucose level	requires early within time person o months terrore to o months after the time tangents take
		44U% (excluding 44Uz)		Blood glucose result	
		44V		Glucose tolerance test	
		44V1.		Glucose tolerance test normal	
		44V2.		Glucose tol. test impaired	
		44V3.		Glucose tol. test diabetic	
		44V6.		Extended slucose tolerance test	
		7P172		Glucose tolerance test	
		R102.		IDIGlucose tolerance test abnormal	
		R10D.		[D]Elevated blood glucose level	
		R1057		[D]Glucose, blood level abnormal	
		•		•	•
IFCC HbA1c (IFCCHBA)	DEM003	42W5.		Haemoglobin A1c level - IFCC standard	Requires entry within time period 6 months before to 6 months after the first diagnosis date
Glucose test exception(GLUCEXC)	DEM003	SIEG.		Blood glucose test declined	requires entry in last 12 months
	1	4413		Serum creatinine	T
		4419.		Serum urea level	
		44JA.		Plasma urea level	
Renal function (RENAL)	DEM003	44JC.		Corrected plisma creatinine level	Requires entry within time period 6 months before to 6 months after the first diagnosis date
		44JD.		Corrected pushia creatinine level	
		44JF.		Plasma creatinine level	
	-	HAIF.		Pasma creatinate tever	<del>-</del>
	1	44E		Serum bilirubin level	7
		44E 44E9.		Serum bilirubin level Plasma total bilirubin level	#
		44EC.		Plasma total bilirubin level Serum total bilirubin level	<del>1</del>
Liver function (LIVER)	DEM003	44EC. 44G7.		Serum total bilirubin level Plasma gamma-glatamy l transferase level	Requires entry within time period 6 months before to 6 months after the first diagnosis date.
LIVET THICKERI (LA V.E.K.)	DESIGNS	44G9.		Piasma gamma-gatumy i transferase ievei Serum gamma-glutamy i transferase level	requires entry within time period o months octore to 6 months after the first diagnosis date.
		44GA.		Plasma alanine aminotransferase level	<del> </del>
		44GA. 44GB.		Plasma alanine aminotransferase level Serum alanine aminotransferase level	
		44GD.		Serum manne ammoranscense iever	<del>-</del>
		442W.		Serum TSH level	7
Thyr oid function (DEMTFT)	DEM003	442W. 442X.			Requires entry within time period 6 months before to 6 months after the first diagnosis date
tnyr ora ranction (DEM IF I)	DEM1003			Plasma TSH level	recquires entry within time period 6 months before to 6 months after the first diagnosis date
		442A.		TSH - thy roid stim. hormone	1
		1			<del>-</del>
Vit B12 (VITB12)	DEM003	42T		Serum vitamin B12	Requires entry within time period 6 months before to 6 months after the first diagnosis date
		44Le.		Plasma vitamin B12 level	
					=
n n		42U4.		Red blood cell folate	
Folic acid (FOL)	DEM003	42115		Senum foliate	Requires entry within time period 6 months before to 6 months after the first diagnosis date.
		42UE.		Plasma folite level	<u> </u>
Dementia review (DEMR)	DEM002	6AB		Dementia Annual Review	Requires entry within the previous 12 months and after the Dementia diagnosis date.
·					=
Blood Test Declined (BLOODEXC)	DEM003	41M		Blood test declined	New code for V30, required entry in previous 15 months

		Di	EPRESSION		<u>To Index</u>
		Code	Code Breakdown	Term	Comments to v30
	d since 1.4.2006 with	no subsequent 'depres	sion resolved' code	For the Depression Indicators it is for diagnosis in the previous 1st April to 31st	
arch.					
ge>=18					
		E0013		Presentle dementia with depression	T
		E0021		Senile dementia with depression	
		E112%		Single major depressive episode	
		E113%		Recurrent major depressive episode	
		E118.		Seasonal affective disorder	
		E11y2		Atypical depressive disorder	
		E11z2		Masked depression	
		E130.		Reactive depressive psychosis	
		E135.		Agitated depression	
		E2003		Anxiety with depression	
		E291. E2B		Prolonged depressive reaction Depressive disorder NEC	
		E2B., E2B1,		Depressive disorder NEC Chronic depression	
		E2B1. Eu204		Chronic depression [X]Post-schizophrenic depression	<del>1</del>
		Eu251		X Post-schapphrenic depression  X Schiznaffective disorder, depressive type	1
			Eu32.	IX Depressive enisode	
			Eu320	IX Mild denressive enisode	
			Eu321	IX1Moderate depressive episode	
			Eu322	X  Severe depressive episode without psychotic symptoms	
epression (For Dep2) (DEPR)		Eu32% (excluding	Eu323	[X]Severe depressive episode with psychotic symptoms	
		Eu32% (excluding Eu32A, Eu32B,	Eu324	[X]Mild depression	
		Eu329)	Eu325	[X]Major depression, mild	
		E4029)	Eu326	IX lMai or decression, moderately severe	
			Eu327	[X]Major depression, severe without psychotic symptoms	
			Eu328	[X]Major depression, severe with psychotic symptoms	
			Eu32y Eu32z	[X]Other depressive episodes	
			Eu32z Eu33.	[X]Depressive episode, unspecified	
			Eu33. Eu330	IX Recurrent depressive disorder IX Recurrent depressive disorder, current episode mild	
			Eu331	[X]Recurrent depressive disorder, current episode moderate	
				[X]Recurrent depressive disorder, current episode inodernie [X]Recurrent depressive disorder, current episode severe without psychotic	
		Eu33%	Eu332	symptoms	
			Eu333	IX Recurrent depressive disorder, current episode severe with psychotic symptoms	
			Eu334	X Recurrent depressive disorder, currently in remission	
			Eu33v	IXIOther recurrent depressive disorders	
			Eu33z	[X]Recurrent depressive disorder, unspecified	
		Eu341		[X]Dy sthy mia	
		Eu412		[X]Mixed anxiety and depressive disorder	
<u> </u>					-
epression resolved		212S.		Depression resolved	Removed patient from Depression population
<u> </u>					-
epression exceptions (DEPEXC)	all except DEP001	9hC0.		Exc denr qual: ind: Pat unsuit	4
		9bC1.		Exc depressi qual ind: Inf dis	1
					T
io-psychosocial assessment codes (BIOPSYC)	DEP001	38G 5.		Biopsy chosocial assessment	Requires entry on the same date as the depression diagnosis date
- p-y m assessment conta (DIOFSIC)					
					<del>-</del>
sception codes for Bio-psychosocial		SIET.		Biopsy chosocial assessment declined	
sessment (BIOPSY CEXC)	DEP001	9NSA.			
(LIOI OF CLAC)		zasA.		Unsuitable for biopsychosocial assessment	
					<u>.</u>
pression review codes (DEPRVW)	DEP003	9H91.		Depression medication review	Requires entry between 10 and 35 days after diagnosis date
pression review codes (DEPRVW)	DEPOID	9H92.		Depression interim review	Requires entry netween 10 and 35 days after unignosis date

		E	IABETES		To Index
		Code	Code Breakfown	Term	Comments to v30
Age >=17	ī				
	-				-
		C10		Diabetes mellitus	
		C109J C109K		Insulin treated Tv re 2 diabetes mellitus	4
				Hyperosmolar non-ketotic state in type 2 diabetes mellitus	4
		C10C.		Diabetes mellitus autosom al dominant	
		C10D.		Diabetes mellitus autosomal dominant type 2	4
		C10E%		Type 1 diabetes mellitus	
Diabetes diagnosis DM)		C10F% (except C10F8)		Type 2 diabetes mellitus	V30 added code CI0P%
		C10G%		Secondary pancreatic diabetes mellitus	
		C10H%		Diabetes mellitus induced by non-steroid drugs	
		C10M%		Lipontrophic diabetes mellitus	
		C10N%		Secondary diabetes mellitus	
		C10P%		Diabetes mellitus in remission	
		PKvP.		Diabetes insipidus, diabetes mellitus, ontic atrophy and deafness	
					<u>.</u>
Diagnosis Resolved		21263 212H.		Diabetes resolved	
Dagama Remired		212H.		Diabetes resolved	
					=
			964	Exception reporting: diabetes quality indicators	T .
Diabetes Exception reporting codes (DMEXC)	all	954%		Excepted from diabetes quality indicators: Patient unsuitable	
			9b42.	Excepted from diabetes quality indicators: Informed dissent	
			•		•
Codes for maximum tolerated diabetes treatment (DMMAX)	DM007, DM008, DM009	8BL2.		Patient on maximal tolerated therapy for diabetes	
					-
IFCC HbA1c levels IFCCHBA)	DM007, DM008, DM009	42W5.		Haemoglobin A1c level - IFCC standardised	

		<u>To Index</u>			
		Code	Code Breakdown	Term	Comments to v30
		816G.		Diabetic foot examination not indicated Diabetic foot examination declined	
Foot examination exception codes (FEEXC)	DM012	8IA o. 8IB 6.		Diagente foot examination declined  Foot pulse check declined  Patient unsuitable for foot pulse check	
					<u>.</u>
		8I6G. 8I3W.		Diabetic foot examination not indicated Diabetic foot examination declined	Į
Neuropathy testing exception codes (NPTEXC)	DM012	SIAn.		Neuronathy assessment declined	
		SIB 5.		Patient unsuitable for neuropathy assessment	
					-
		2G5E.		O/E - Right diabetic foot at low risk	
		2G5F. 2G5G.		O/E - Right diabetic foot at moderate risk	
		2G5G. 2G5H.		O/E - Right diabetic foot at high risk O/E - Right diabetic foot - ulcerated	
		2G5H. 2G5L		O/E - Left diabetic foot at low risk	
Foot riskclassification (FRC)	DM012	2G5L		O.E Left diabetic foot at moderate risk	
		2G5K.		O/E - Left diabetic foot at high risk	
		2G5L		O.E Left diabetic foot - ulcerated	
		2G5d.		O/E - Left diabetic foot at increased risk	
		2G5e.		O/E - Right diabetic foot at increased risk	
		2G42.		O/E - Amputated right leg	
Right foot amputation (AMPR)	DM012	2G44.		O/E - Amputated right above knee	
		2G46.		O/E - Amputated right below knee	
	,	ben		OE Amountated left les	T
Left foot amputation (AMPL)	DM012	2G45.		O/E - Amounted left above knee	
Left foot amparation (AMPL)	D31012	2G47.		O.E Amputated left below knee	
					1
BP Recording Codes (BP)	DM002, DM003	246% (Except 2460., 2468., 246H., 246I., 246K., 246L., 246M., 246h., 246i., 246j., 246k)		O.E - blood pressure reading	Blood Pressure values should also be recorded for the Contract and your software system will have a system to deal with Read coding of Values.
					<u> </u>
BP Recording Exception Codes (BPEX)	DM002, DM003	8I3Y.		Blood pressure procedure refused	
					ī
Maximal BP the rapy (HTMAX)	DM002, DM003	SBL0.		Patient on maximal tolerated antihy pertensive therapy	

		DIA	BETES cont.		<u>To Index</u>
		Code	Code Breakdown	Term	Comments to v30
		R110.		[D]Proteinuria	
		R1100		ID1Albuminuria	
		R110z		[D]Proteinuria NOS	
Proteimuria Diagnosis (PRT)	DM006	C10EK		Type 1 diabetes mellitus with persistent proteinuria	Care should be taken only to use these codes for persistant proteinuria and not for dipstick test results.
		C10FL		Type 2 diabetes mellitus with persistent proteinuria	
		K08vA		Proteinuric diabetic nenhronathy	
		K190X		Persistent proteinuria, unspecified	
		Kyu5G		[X]Persistent proteinuria, unspecified	
					•
		R1103		[D]Microalbuminuria	
Microralbuminuria (MAL)	DM006	C10EL		Type 1 diabetes mellitus with persistent microalbum inuria	
		C10FM		Type 2 diabetes mellitus with persistent microalbum inuria	
					<u>.</u>
		14LM.		H/O: angiotensin converting enzyme inhibitor allergy	
	DM006	K0430		Acute renal failure due to ACE inhibitor	
ce inhibitor contraindications: persistent		U60C4		[X]Angiotensin-converting-enzy me inhibitors causing adverse effects in therapeuticuse	
XACE)		ZV14D		IVIPersonal history of angiotensin-converting-enzyme inhibitor allergy	
		TJC77		Adverse reaction to cantonril	
		TJC78		Adverse reaction to englapril	
		TJC79		Adverse reaction to ramipril	
					•
		8I28.		Angiotensin converting enzyme inhibitors contraindicated	
Ace inhibitor contraindications: expiring		SI3D.		Angiotensin converting enzyme inhibitor declined	
	DM006				
TXACE)	D51006	8164.		Angiotensin converting enzyme inhibitor not indicated	
TXACE)	D51006	8164. 8174.		Anxiotensin converting enzyme inhibitor not indicated Angiotensin converting enzyme inhibitor not tolerated	
TXACE)	DN1006	8164. 8174.			
TXACE)		8174.		Angiotensia converting erayme inhibitor not tolerated  Hely angiotensia II recentor antagonist alleray	
TXACE)  All antagonist contraindications: persisting	DM006	8174. 141 N U60CB		Angiotensin converting enzyme inhibitor not tolerated	
TXACE)  All antagonist contraindications: persisting		8174.		Angiotensia converting erayme inhibitor not tolerated  Hely angiotensia II recentor antagonist alleray	
IXACE)		8174. 141 N U60CB		Angiotensin converting enzyme inhibitor not tolerated  H/Y angiotensin II receptor antaconist alleray.  [X]Angiotensin II receptor antaconists causing adverse effects in therapeutic use	
TXACE)  All antagonist contraindications: persisting XAII)		8174. 141 N U60CB		Angiotensin converting enzyme inhibitor not tolerated  H/Y angiotensin II receptor antaconist alleray.  [X]Angiotensin II receptor antaconists causing adverse effects in therapeutic use	
AII antagonist contraindications: persisting (XAII)  AII antagonist contraindications: persisting (XAII)	DM006	8174. 141 N. U60CB ZV14E		Angiotensia converting enzyme inhibitor not tolerated  H.O. annionenia II receptor antanonis alleres  (XI/Anajotensia II receptor antanonis alleres  (XI/Anajotensia II receptor antanonis alleres  (YI/Personal history of angiotensia II receptor antanonis allergy	
AH antagonist contraindications: persisting (XAH)		8174. 141 N. U60CB ZV14E		Angiotensia converting enzy me inhibitor not tolerated  HEY annototensia II receptor antanonist allerue  EX Maniotensia II receptor antanonist allerue  EX Maniotensia II receptor antanonist cassing adverse effects in therapeutic use  (ViPersonial Bissoyr of angiotensia II receptor antanonist alleruy  Anniotensia II receptor antanonists contraindicated	

		DIA	BETES cont.		<u>To Index</u>	
		Code	Code Breakdown	Term	Comments to v30	
					Ī	
ACE inhibitor prescriptions (ACE)	DM006				Prescribed in last 6 m onths	
A II antagonist prescription codes (AII)	DM006				Prescribed in last 6 months.	
			•			
Flu vaccine contraindications: persisting	DM010	14LJ.		H/O: influenza vaccine allergy		
(XFLU)	D21010	U60K4		[X]Influenza vaccine causing adverse effects in therapeutic use		
7		ZV14F		[V]Personal history of influenza vaccine allergy		
		816D0		Seasonal influenza vaccination not indicated Seasonal influenza vaccination not indicated		
		816D0 68NF		Seasonal influenza vaccination not indicated No consent - influenza imm		
		68NE0		No consent - influenza imm.  No consent for seasonal influenza vaccination		
Flu vaccine contraindications: expiring	DM018	90X51		No consent for seasonal influenza vaccination Seasonal influenza vaccination declined		
(TXFLU)	D31018	9OX52		First intranasal influenza vaccination declined		
		90X53		Second intransal influenza vaccination declined		
		90X54		First intranasal seasonal influenza vaccination declined		
		90X56		Second intranasal seasonal influenza vaccination declined		
		JOSE OF THE PROPERTY OF THE PR		accord presental acasona mineria vaccination de incu		
		4CED		Seasonal influence reasonation		
	DM618	65E20		Seasonal influenza vaccination given by other healthcare provider		
		65ED0		Seasonal influenza vaccination given by pharmacist		
		6SED1		Administration of first intranasal seasonal influenza vaccination		
		65ED2		Seasonal influenza vaccination given while hospital inpatient		
Flu vaccine prescriptions and codes		6SED3		Administration of second intranasal seasonal influenza vaccination	Recorded in the previous 1st September to 31st March.	
I in vaccine preser prasta and codes		65E21		First intranasal seasonal influenza vaccination given by other healthcare provider	accorded in the previous ratio permitted to 51% statement.	
		65E22		Second intranasal seasonal influenza vaccination given by other healthcare provider		
		65EE		Administration of intranasal influenza vaccination		
		65E.E0		Administration of first intranasal influenza vaccination		
		65E E1		Administration of second intranasal influenza vaccination		
					<u>.</u>	
		8Hj0.		Referral to diabetes structured education programme	Ī	
Referred for diabetes structured education		8Hj3.		Referral to DAFNE diabetes structured education programme	Requires entry for new diabetes patients (in last year) within 9 months after their diagnosis date	
programme (DSEP)	DM014				responses com y row new same expanses (in mon y car) within 9 months after their diagnosts date	
programme (DSEP)		8Hj4.		Referral to DESMOND diabetes structured education programme		
		8Hj5.		Referral to XPERT diabetes structured education programme		
Diabetes structured education programme		SIE9.		Referral to diabetes education and self management for ongoing and newly diagnosed structured programme declined		
exception codes (DSEPEXC)	DM014	SIEa.		Referral to DAFNE diabetes structured education programme declined	Requires entry within previous 21 months	
		90LM.		Diabetes structured education programme declined		
					<u>•</u>	
Diabetes Structured Education programme not available (DSEPNAEXC_COD)	DM014	8194.		Diabetes structured education programme not available	Requires entry within previous 21 months	
					•	
Blood Test Declined (BLOODEXC)	DM007, DM008, DM009	41M		Blood test declined	New code for V30, required entry in previous 15 months	

			EPILEPSY		To Index
		Code	Code Breakdown	Term	Comments to v30
NOTE: Epilepsy is no longer part of Q OF with	funding transferred t	o core funds. Practice	s are advised to ma	intain registers.	
Age >=18	ī				
	1				
			F25	Enilensy	
			F250.	Generalised nonconvulsive epilepsy	
			F2500	Petit mal (minor) entlensy	
			F2502	Enilentic seizures - atonic	
			F2503	Epileptic seizures - akinetic	
			F2505	Lennox-Gastaut syndrome	
			F250y	Other specified generalised nonconvulsive epilepsy	
			F250z	Generalised nonconvulsive enilensy NOS	
			F251.	Generalised convulsive epilensy	
			F2510	Grand mal (major) epilepsy	
			F2512 F2513	Enilentic seizures - clonic Enilentic seizures - my oclonic	
			F2514	Enilentic seizures - tonic	
			F2515 F251y	Tonic-clonic enilensy Other specified generalised convulsive enilensy	
		F25% (excluding	F251y F251z	Other specified generalised convulsive epitepsy Generalised convulsive epitepsy NOS	
		F25% (excluding F2501, F2504,	F251Z F252.	Petit mal status	
		F2511, F2516.	F253.	Grand mail status	
		F25G., F25v4.	F253.	Partial epilensy with impairment of consciousness	
Epilepsy Diagnosis (EPIL)		F256%, F258	F255%	Partial epilensy with impairment of consciousness  Partial epilensy without mention of impairment of consciousness	
		F25A.,F25H.)	F257.	Kolevnikov's enilensy	
		F 25A.,F25H.)	F25B.	Alcohol-induced epilensy	
			F25C.	Druz-induced epilensy	
			F25D.	Menstrual epilensy	
			F25E.	Stress-induced epilensy	
			F25F.	Photosensitive epilensy	
			F25X.	Status epilepticus, unspecified	
			F25v.	Other forms of epilepsy	
			F25v0	Cursive (running) epilensy	
			F25y1	Gelastic epilensy	
			F25y2	Localization-related(focal)(partial)idiopathic epilepsy and epileptic syndromes with seizures of localised onset	
			F25v3	Complex partial status epilepticus	
			F25v5	Panay iotopoulos syndrome	
			F25yz	Other forms of epilepsy NOS	
			F25z.	Enilensy NOS	
		F1321	FASE	Progressive myoclonic epilepsy	
		SC200	t	Traumatic epilepsy	
			1	Institute shorts	1
Epilepsy medication Prescription					Prescribed in the previous 6 months.
nana new account rescription					received in the previous o'monus.
		21260		Epilepsy resolved	
Epilepsy resolved		212J.		Epilepsy resolved	
				Interior Control of the Control of t	<b>!</b>
			916	Exception reporting: epilepsy quality indicators	Ī
Epilepsy Exception codes (EPILEXC)	all	956%	9h61.	Excepted from epilepsy quality indicators: Patient unsuitable	1
-propypros (in masse)			9h62.	Excepted from epilepsy quality indicators: Informed dissent	
				party and a party desired and a modern and and and and and and and and and an	i e e e e e e e e e e e e e e e e e e e

В

		<u>Fo Index</u>			
		Code	Code Breakdown	Term	Comments to v30
		COM	Code Di Candoni	A COM	Comment to 1.00
		1	G58	Heart failure	Ī
			G 580.	Conrestive heart failure	
			G 5800	Acute congestive heart failure	
			G5801	Chronic conrestive heart failure	
			G 5802 G 5803	Decompensated cardiac failure Compensated cardiac failure	
		G58%	G581	Left ventricular failure	
			G5810	Acute left ventricular failure	
leart Failure (HF)			G582.	Acute heart failure	
			G 583.	Heart failure with normal ejection fraction	
			G584.	Right ventricular failure	
		G1vz1	G58z.	Heart failure NOS Rheumatic left ventricular failure	
		G1yzi	662f.	New York Heart Assoc. classification - class I	
			6620.	New York Heart Assoc. classification - class II	
		662f662i.	662h.	New York Heart Assoc. classification - class III	
			662L	New YorkHeart Assoc. classification - class IV	
<u> </u>					-
		585f.		Echocardiogram shows left ventricular systolic dysfunction	
leart Failure due to LVSD		G5yyD		Left ventricular cardiac dysfunction	Requires a code for HF and LVSD to be in denominator for HF003 and HF004.
		G5yy9		Left ventricular systolic dysfunction	
			9hH 9hH0.	Exception reporting: heart failure quality indicators	
leart Falture Exceptions (HFEXC)	all	9hH%	9hH0. 9hH1.	Excepted from heart failure quality indicators: Patient unsuitable	
			ymil.	Excepted from heart failure quality indicators: Informed dissent	1
		5853.		U-S heart scan	T
		58531		Echocardiorram abnormal	
		585f.		Echocardiogram shows left ventricular systolic dysfunction	
		585a.		Echocardiorram shows left ventricular diastolic dysfunction	
		5C20.		Echocardiorram equivocal	
		33BD.		Echocardiogram requested	
		79352 7P0H.		Transoesonhaseal echocardiography Diagnostic echocardiography	
		7P0H0		Diagnostic echocardiography Transthoracic echocardiography	
		7P0H1		Transoesophageal echocardiography	
		7P0H4		Stress echocardiography	
		8HO 7.		Referral for echocardiography	
		SHTL.		Referral to heart failure clinic	
		8HTL0 R1320		Referral to rapid access heart failure clinic	
chocardiogram (ECOG)	HF002	R1320 R1322	-	[D]Utrasound cardiogram abnormal	Requires entry 3 m onths before to 12 months after the diagnosis date, for patients diagnosed on or afte
		5531.		Anriocardiography awaited	1.4.2006
		5533.		Angiocardiography abnormal	1
		5538.		Anziocardiography equivocal	
		79380		Anziocardiography of both right and left sides of heart	
		79382		Angiocardiography of left side of heart NEC	
		7P0H6		Contrast echocardiography	
		8A544		Monitoring of cardiac output using echocardiography	
		8H4R.		Ref to cardio spec interest GP	
		SHVJ.		Private referral to cardiologist	1
		8H44.		Cardiological referral	
		8H7o0		Fast track heart failure referral for transthoracic two dimensional echocardiogram	
				1	<b>T</b>
ha Danilland (DCDDC)	HF002	56F1. 5534.		Echocardiogram declined	V30 added code 8IBF.
Echo Declined (ECEXC)	HF 002	5534. 8IB F.		Angiocardiography declined	v 30 added code star.
		oun?.	1	Echocardiography not indicated	1
		14LM.		H/O: angiotensin converting enzyme inhibitor allergy	Ī
		K0430		Acute renal failure due to ACE inhibitor	
				[X]Angiotensin-converting-enzy me inhibitors causing adverse effects in therapeutic	
ce inhibitor contraindications: persistent	HF003 . HF004	U60C4		use	
XACE)	112 003 , HF 004	ZV14D		[V]Personal history of angiotensin-converting-enzyme inhibitor allergy	
		TJC77		Adverse reaction to cantonril	
		TJC78 TJC79		Adverse reaction to enalapril  Adverse reaction to raminril	
		IJC79		Adverse reaction to ramiprit	1

		HEART	FAILURE cont	To Index	
		Code	Code Breakdown	Term	Comments to v30
		8128.		Angiotensin converting enzyme inhibitors contraindicated	
Ace inhibitor contraindications: expiring	HF003, HF004	SI3D.		Anziotensin converting enzyme inhibitor declined	
(TXACE)		8164. 8174.		Anziotensin converting enzy me inhibitor not indicated	
		8174.		Angiotensin converting enzyme inhibitor not tolerated	1
		14LN.		H/O: angiotensin II receptor antagonist allergy	Ť
		IHLIN.		n/o/: angiotensin ti receptor antagonist anergy	
AII antagonist contraindications: persisting (XAII)	HF003, HF004	U60CB		[X]Angiotensin II receptor antagonists causing adverse effects in therapeutic use	
(John)		ZV14E			
		ZV14E		[V]Personal history of angiotensin II receptor antagonist allergy	
		812H.		Anziotensin II receptor antagonists contraindicated	Ť
AII antagonist contraindications: expiring	HF003, HF004	SI3P.		Angiotensin II receptor antagonist declined	
(TXAII)	HF 00.3, HF 004	816C.		Anziotensin II recentor antagonist not indicated	
		8175.		Angiotensin II receptor antagonist not tolerated	
					7
ACE inhibitor prescriptions (ACE)	HF003, HF004				Prescribed in last 6 m onths
A Wantersold accountable and a Com-	HF003, HF004				Prescribed in last 6 months.
A II antagonist prescription codes (AII)	HF 003, HF 004				гтекствей и им о птония.
					•
		1411		Life banklooler allarm	Ī
		TIC00		Adverse reaction to practoful Adverse reaction to programming	
			TJC6.	Adverse reaction to betablockers	
			TJC61	Adverse reaction to acebutolol	
	HF004		TJC62 TJC63	Adverse reaction to atenolol	
			TJC63 TJC64	Adverse reaction to labetalol Adverse reaction to metorrolol	
		TJC6%	TJC65	Adverse reaction to madolol	
			TJC66	Adverse reaction to exprenolol	
Beta Blocker contraindications:persistent			TJC67	Adverse reaction to sotalol	
(XLBB)			TJC68 TJC6z	Adverse reaction to timolol	
			13C62	Adverse reaction to betablockers NOS [X]Beta-adrenoreceptor antagonists causing adverse effects in therapeutic use, not	
		U60B7		elsewhere classified	
		U60B9		IXIAdverse reaction to bisoprolol	
		U60BA		[X]Adverse reaction to carvedilol	
		U60BB ZV14C		IXIAdverse reaction to nebivoid IVIPersonal history of betablocker allergy	
		ZVu6		[X]Personal history of allergy to bisoprolol	
		ZVu6o		[X]Personal history of allergy to carvedilol	
		ZVufq		[X]Personal history of allergy to nebivolol	
		8126		Bass blocker contraindicated	
			812g.	Bisoprolol contraindicated	
		812g812i	812h.	Carvedilol contraindicated	
			8121.	Nebivolol contraindicated	
		8136.	SIAS.	Beta blocker therapy refused Bisoprolol therapy refused	
		SIAS SIAV	SIAT.	Carvedilol therapy refused	
Beta Blocker contraindications: expiring	HF004		SIAV.	Nebivolol therapy refused Beta blocker not indicated	
(TXBB)		8162.		Beta blocker not indicated	
		8161 816k	816i. 816i.	Bisoprolol not indicated Carvedilol not indicated	
		one - mok	816k	Nebivolol not indicated	
		8173.		Beta blocker nottolerated	
			817K.	Bisoprolol not tolerated	
		817K817M.	817L. 817M.	Carveditol not tolerated Nebivolol not tolerated	
			81/51.	Network not tolerated	1
				BISOPROLOL FUMARATE	
Prescription codes for licensed Beta blocker (LBB)	HF004			CARVEDILOL	Prescribed in last 6 months
(LDD)				NEBIVOLOL	
					•
Prescription codes for unlicensed Beta blocker (ULBB)	HF004			All other Beta-Adrenoceptor Blockers apart for licensed ones above	Patient can remain on an unliceased B-blocker if they were on this in the 6 months prior to Heart Failure diagnosis (ie. it may not be clinically appropriate to change to a liceased brand)
					<b>*</b>

SP Recording Exception Codes (BPEX) BTY06 827. Blood pressure procedure refused Requires carry within last 12 months			HYP	ERTENSION		<u>To Index</u>
International Content of the Conte			Code	Code Breakdown	Term	Comments to v30
International Content of the Conte						
Compared to the content of the con						
C224   Secondary analyses for reviews NOS			G20%			
Comment   Comm						
C34-G2-C						
CRA-CIS-						
C23-C23-C23-C23-C23-C23-C23-C23-C23-C23-						
Repertension (IVP) and (IVP)    Common Section   Common S						
Recording Codes (RPEX)   RPEX   RECORDING CODEs (RPEX)   R			G24G2z.			
C288 G218   G25				G24zz		
Calculation	Hypertension (HYP)and (HYP2)		G2400, G2410,	G25%	2011)	
Cab.   Section   Control   Cab.   C				G26%		
C226				G28%		
Cross   NEW recording Programme   New York				G2v%	Other specified hypertensive disease	
Street   S					Hypertensive disease NOS	
Paper tension resolved   1256   Paper tension resolved   1215   Paper tension resolved   1215   Paper tension becaption Codes (INTPEXC)   all   Pages   Page					IX IHv nertensive diseases	
The performant readword   TEX.   Department readword   TEX.   Department of the performant readword   TEX.   Department readword   TEX.			Gyu20		[X]Other secondary hypertension	
The performant readword   TEX.   Department readword   TEX.   Department of the performant readword   TEX.   Department readword   TEX.						
Page Frenche Deception Codes (HPPEXC)   all   98.0%   \$N. N. Recognition resolved to \$\frac{N. N. Recognition resolved to \$\frac{N. N. N. Recognition resolved to \$\frac{N. N. N	Hypertension resolved					
Reperturation Description Codes (RPPEXC)   all   98/35			212K.		Hypertension resolved	
Reperturation Deception Codes (RFFEX)   MFP066   MFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF						_
Sage   Hypertensian whene relative of end   10 P006   1250.   Sage   Hypertensian (solice 2011) without revisions of end organ distance. Information of the most recently recorded of the Hypertensian codes.    Proceeding Codes (BF)						
Stage 1 Hypertreation without evidence of end urgan durings (SHIFTEXC)    Preceding Codes (BP)	Hypertension Exception Codes (HYPEXC)	all	983%		Excepted from hypertension quality indicators: Patient unsuitable	
Sup E 10 personan (N.E. 2011) winder extende of each organ samings we accuse place of man in the most recently recorded of the 10 personan codes.    2005; (Except 2604. 2004.				9h32.	Excepted from hypertension quality indicators: Informed dissent	<u>l</u>
Sup E 10 personan (N.E. 2011) winder extende of each organ samings. We accuse places if man in the most receiptly recorded of the 10 personan codes.    2005; (Except 2404.						_
BP Recording Codes (BP)  IN 1906  SET (See See See See See See See See See Se		HYP006	G250.		Stage 1 hypertension (NICE 2011) without evidence of end organ damage	Will exclude patient if this is the most recently recorded of the Hypertension codes.
BP Recording Codes (BP)  IN 1906  SET (See See See See See See See See See Se						<del>-</del>
	BP Recording Codes (BP)	HYP006	2468., 246H., 246L., 246K., 246L., 246M., 246h., 246i., 246j.,		O.E blood pressure reading	Blood Pressure values should also be recorded for the Contract and your software system will have a system to deal with Read coding of Values. Requires entry in the previous 12 months
						_
	BP Recording Exception Codes (BPEX)	HYP006	8I3Y.		Blood pressure procedure refused	Requires entry within last 12 months
With IRRAW (ITALY)						
DIAMMED F INFARY (ILIAIAA) ILIFONO DEEM. FARCE OR INFARCE OF INFAR	Maximal BP therapy (HTMAX)	HYP006	SBLO.		Patient on maximal tolerated antihy pertensive therapy	Requires entry within last 12 months

		<u>To Index</u>							
		Code	Code Breakdown	Term	Comments to v30				
NOTE: Hypothyroid is no longer part of Q OF w	OTE: Hypothyroid is no bager part of Q OF with funding transferred to core funds. Practices are advised to maintain registers.								
Hypothyroid (THY)	THY001	C04%		Acquired by nothy roidism					
injustificat (IIII)		C03%		Congenital hypothy roidism					
•									
Hypothyroid Medication prescription					Prescribed in the previous 6 months.				

	LEARNIN	<u>To Index</u>		
	Code	Code Breakdown	Term	Comments to v30

NOTE: Learning Disabilities is no longer part of Q OF with funding transferred to core funds. Practices are advised to maintain registers.

## Age>=18

Age>=18	1			
		E3%		Mental retardation
			Eu7	[X]Mental retardation
			Eu70%	X Mild mental retardation
			Eu71%	[X]Moderate mental retardation
		Eu7%	Eu72%	IXISevere mental retardation
				[X]Profound mental retardation
			Eu7y%	[X]Other mental retardation
Learning disabilities (LD)	LD001		Eu7z%	IXIUnspecified mental retardation
		Eu814		[X]Moderate learning disability
		Eu815		IX ISevere learning disability
		Eu816		[X]Mild learning disability
		Eu817		[X]Profound learning disability
		Eu818		IX ISrecific learning disability
		Eu81z		[X]Developmental disorder of scholastic skills, unspecified
		918c.		On learning disability register

	MEN		<u>To Index</u>	
	Code	Code Breakdown	Term	Comments to v30
		1		·
	E10% E110%		Schizonhrenic disorders Manic disorder, single episode	
	E111%		Manic disorder, single episode Recurrentmanic episodes	
	E1124		Single major depressive episode, severe, with psychosis	
	E1134		Recurrent major depressive episodes, severe, with psychosis	
		E114%	Birolar affective disorder, currently manic	
	E114-E117z	E115% E116%	Bipolar affective disorder, currently depressed	
		E117%	Mixed bipolar affective disorder Unsnecified bipolar affective disorder	
		Elly.	Other and unspecified manic-depressive psychoses	
	EHy% (excluding	E11v0	Unspecified manic-depressive psychoses	
	E11y2 (exchang	E11v1	Atypical manic disorder	
	* *	E11y3	Other mixed manic-depressive psychoses	
	Ellz	E11vz	Other and unspecified manic-depressive psychoses NOS Other and unspecified affective psychoses	
	E1120		Unspecified affective psychoses NOS	
	E11zz		Other affective psychosis NOS	
	E12%		Paranoid states	
		E13	Other nonorganic psychoses	
		E130. E131.	Reactive depressive psychosis Acute hysterical psychosis	
	E13% (excluding	E131. E132.	Acute hysterical psychosis Reactive confusion	1
	E135.)	E132.	Acute paranoid reaction	1
		E134.	Psychogenic paranoid psychosis	1
		E13y%	Other reactive psychoses	
		E13z	Nonorganic psychosis NOS	
	E2122	Eu2	Schizoty ral personality [X]Schizophrenia, schizoty pal and delusional disorders	
		Eu20%	[X]Schizophrenia, schizoty par and detusional disorders [X]Schizophrenia	
		Eu21.	[X]Schizoty pal disorder	
		Eu22%	IX IPersistent delusional disorders	
	Eu2%	Eu23%	IX lAcute and transient psychotic disorders	Patents are in the Mental Health population if they have one of these diagnosis codes or they are on Lithium.
		Eu24.	[X]Induced delusional disorder	
		Eu25% Eu26%	IXISchizoaffective disorders [X]Nonorganic psychosis in remission	
		Eu2v.	(X)Other nonorganic psychotic disorders	
chosis, Schizophrenia + bipolar affective		Eu2z.	IX Unspecified nonorganic psychosis	
ase codes (MH)		Eu30.	[X]Manic episode	
		Eu300	IXIHypomania	
	Eu30%	Eu301 Eu302	[X]Mania without psychotic symptoms (X]Mania with nsychotic symptoms	
		Eu302	IX IMania with osvenote symptoms IX IOther manic episodes	
		Eu30z	[X]Manic episode, unspecified	
		Eu31.	IX1Binolar affective disorder	
		Eu310	[X]Bipolar affective disorder, current episode hypomanic	
		Eu311	[X]Bipolar affective disorder, current episode manic without psychotic symptoms	
		Eu312	[X]Bipolar affective disorder, current episode manic with psychotic symptoms	
		Eu313	[X]Bipolar affective disorder, current episode mild or moderate depression	
	Eu31%	Eu314	[X]Bipolar affective disorder, current episode severe depression without psychotic	
		Eu315	[X]Bipolar affective disorder, current episode severe depression with psychotic symptoms	
		Eu316	[X]Bipolar affective disorder, current episode mixed	
		Eu317	[X1Binolar affective disorder, currently in remission	1
		Eu318	[X]Bipolar affective disorder type I	
		Eu319	X1Binolar affective disorder type II	
		Eu31v Eu31z	X Other binolar affective disorders  X Bipolar affective disorder, unspecified	1
	Eu323		[X]Severe depressive episode with psychotic symptoms	
	Eu328		[X]Maj or depression, severe with psychotic symptoms	
	Eu329		[X]Single major depressive episode, severe, with psychosis, psychosis in remission	
	Eu32A		[X]Recurrent major depressive episodes, severe, with psychosis, psychosis in remission	
			remission	
	Eu333		[X]Recurrent depressive disorder, current episode severe with psychotic symptoms	

		To Index				
		Code	Code Breakdown	Term	Comments to v30	
Lithium Prescription codes (LIT + ELIT)		d6%		LITHIUM SALTS	prescribed in the last 6 months	
Stopped Lithium (excluded)		665B.		Lithium stopped	Excludes patient if entered after the last prescription date	
		E1005		Schizophrenia in remission	T	
		E1015		Hebenhrenic schizonhrenia in remission		
		E1025		Catatonic schizonhrenia in remission		
		E1035		Paranoid schimphrenia in remission		
		E1055		Latent schizonhrenia in remission		
		E1075		Schizo-affective schizophrenia in remission		
		E1106		Single manic episode in full remission		
		E1116		Recurrent manic episodes, in full remission		
Remission from severe Mental Illness	MH002-MH008	E1146		Bipolar affective disorder, currently manic, in full remission	Exception codes patients permanently from the indicators but not from the MH overall population. If a later dated MH code is added this will over-ride the remission code. New information in guidance	
(MHREM+MHREM2)	MH002-MH008	E1156		Bipolar affective disorder, currently depressed, in full remission	dier dated MH code is added this will over-ride the remission code. New information in guidance document about what constitutes 'remission'	
		E1166		Mixed binolar affective disorder, in full remission	documentation what consumes remission	
		E1176		Unspecified bipolar affective disorder, in full remission		
		Eu223		[X]Paranoid state in remission		
		Eu26.		IX INonoreanic psychosis in remission		
		Eu317		[X]Bipolar affective disorder, currently in remission		
		Eu329		IX ISingle major depressive enisode, severe, with psychosis, psychosis in remission		
		Eu32A		[X]Recurrent major depressive episodes, severe, with psychosis, psychosis in		
		Like		remission	1	
<b>—</b>			910	Exception reporting; mental health quality indicators	T	
Mental Health Exception codes (MHEXC)	all	999%	9101.	Exception reporting, mental health quality indicators: Patient unsuitable		
memarina and exception codes (minuse)		, and , and	9102.	Excepted from mental health quality indicators: Informed dissent		
			740 L	LACE TO BE INCOME THE AREA QUEEN'S HALK MADE S. THE VALLE OF THE SECOND STATE OF THE S	<u> </u>	
			8CG6.	Care Programme Approach review	Ī	
	MH002			8CG60	Initial Care Programme Approach review	
			8CG6%	8CG61	Onzoing Care Programme Approach review	
MH Care plan (MHP)			8CG62	Discharge Care Programme Approach review		
ant care pair (ann )			8CG02			
		8CMG1		Review of mental health care plan		
		8CS7.		Agreeing on mental health care plan		
		SCY		Mental Health Care Programme Approach		
					_	
Lithium level test (SLIT)	MH010	44W8%		Serum lithium level	Lithium level values should also be recorded for the Contract and your software system will have a system	
Littimin ievėl test (SLI1)	MH010	44vE. R1053		Lithium level therapeutic (DILithium, blood level abnormal	to deal with Read coding of Values. Requires entry within previous 4 months	
		R1053		[D]Lithium, blood level abnormal		
		44W80		Lithium level therapeutic	T	
Lithium level Therapeutic (TLIT)	MH010	44vE.		Lithium level therapeutic	This code is not required if Lithium values are within the therapeutic range (0.4 - 1.0).	
		44VE.		Littaum tever therapeutic	1	
		Terror.				
		44J3% 44JC.		Serum creatinine Corrected plasma creatinine level		
Serum Creatinine (CRE)	MH009	44JD.		Corrected pasma creatinate level	Creatinine test results required in the last 9 months	
		44JD. 44JF.		Corrected serum creatinine level Plasma creatinine level	1	
l		eaf.		rusmu creaumue se (e)	4	
		442A%		TSH - thy roid stim. hormone	TSH test results required in the last 9 months	
		442K-442T.		30 minute plasma TSH level	There are others in this range for different times of testing	
TSH test (TSH)	MH009	442W.		Serum TSH level	racie are omers in mis range for unferent unies of iesting	
100 (100)		442W. 442X.		Plasma TSH level	1	
		442c.		Blood spot TSH level		
		Trans.		MANAGE AND A SEA OF THE SEA OF T	4	

MENTAL				t.	To Index
		Code	Code Breakdown	Term	Comments to v30
		Code			Comments to v50
Alcohol communition (ALC)			136 1361.	Alcohol consumption Teetotaller	
	MH007	136% (evchaling 1368, 1369, 136M, 136W, 136Y, 136b,	1362.	Trivial drinker - < luiday	
			1363.	Light drinler - 1-2u/day	
			1364.	Moderate drinker - 3-6u/day	
				Heavy drinker - 7-9u/day	
				Very heavy drinker - >9u'day	
				Storeed drinking alcohol Ex-trivial drinker (< Iu/day)	
				Ex-moderate drinler - (3-6u/d)	
			136C.	Ex-moderate drinler - (3-6u/d)	
			136D.	Ex-heavy drinker - (7-9uiday)	
			136E.	Ex-very heavy drinker-(>9uid)	
			136F.	Spirit drinker	
			136G. 136H.	Beer drinker	
				Drinks beer and spirits Drinks wine	
				Social drinker	
				Alcohol intake above recommended sensible limits	1
			136L.	Alcohol intake within recommended sensible limits	
			136N.	Light drinler	
			1360.	Moderate drinker	
			136P. 136Q.	Heavy drinker Very heavy drinker	-
				Very heavy drinker Binre drinker	1
			136S.	Hazardous alcohol use	
				Harmful alcohol use	
			136V.	Alcohol units per week	
			136X.	Alcohol units consumed on heaviest drinking day	
			136Z	Alcohol consumption NOS	
			136a. 136c.	Increasing risk drinking Hisher risk drinking	1
			136d.	Lower risk drinking	
Table Desire (1996)					
Alcohol Consumption screening declined (ALCEX)	MH007	136c.		Declines to state current alcohol consumption	T
		8IA7.		Alcohol consumption screening test declined	
		136c. 8IA7. 8IAF. 8IAt.		Brief intervention for excessive alcohol consumption declined	V30 added code 8IH4. Requires entry in the previous 15 months
		SIAt.		Extended intervention for excessive alcohol consumption declined	130 and to the requirement of the persons 13 mentals
		9119. 8IH4.		Alcoholassessment declined - enhanced services administration Alcohol Use Disorders Identification Test declined	
		om4.		Account the Disorders Identification Less déclinée	1
BMI Codes (BMI)	MH006	22K% (excluding 22K9., 22K90, 22KA.)		Body Mass Index	
					= <del>-</del>
BP Recording Codes (BP)	MH003	246% (Except 2460., 2468., 246H., 2461., 246K., 246L., 246M., 246h., 246L., 246J., 246k)		O.E blood pressure reading	Blood Pressure values should also be recorded for the Contract and your software system will have a system to deal with Read coding of Values.
BP Recording Exception Codes (BPEX)	MH003	8BY.		Blood pressure procedure refused	Requires recording within the previous 15 months
		1			<u></u>
Total Cholesterol: HDL (TCHOLHDL)	MH004	44PF.		Total cholesterol:HDL ratio	Applies only to patients age 40 and over. Patients with pre-existing, hypertension, diabetes, CHD, PVD, Strole or TIA, familial by percholesterolaemia, or CKD are excluded from requiring Tot Chol/HDL test.
		44PF. 4402. 440F.		Cholesterol/HDL ratio	
		44IF.		Serum cholesterol/HDL ratio	
		44IG.		Plasma cholesterol/HDL ratio	
Familial Hypercholesterolaemia (FHYP)		C3200 C3201		Familial by percholesterolaemia  Hy perbetalinoproteinaemia	
		C3201		Hyperbetalipoproteinaemia Low-density-linoprotein-type (LDL) hyperlinoproteinaemia	1
		C3203 C3204		Low-density-innotrotein-ty to (LDL) by termotroteinaemia Fredrickson's hyperlipoproteinaemia, type IIa	Excludes from requiring Tot Chol/HDL test.
		C3205		Familial defective apolipoprotein B-100	
		C3220		Familial combined by perlipidaemia	
					<u> </u>

		<u>To Index</u>			
		Code	Code Breakdown	Term	Comments to v30
		44TM.		Blood glucose series	
		446%		Serum glucose level	
		440%		Plasma elucose level	
			44T1.	Random blood sugar	
			44T10	Random blood suear normal	
		44T1 44T3.	44T11	Random blood sugar low	
			44T12	Random blood snear raised	
			44T2. 44T3.	Pasting blood sugar  2 hours post food blood sugar	
		44TA.	4413.	2 hours post tood tood sugar Plasma slucose	
		441A.	44TE	30 minute blood slucose level	
			44TF.	60 minute blood glucose level	
		44TE 44TK.	44TG.	90 minute blood slucose level	
		(excluding 44TJO-	44TH.	120 m inute blood stucose level	
Glucose (GLC)	MH005	44TJ7)	44TL	150 minute blood gluc ose level	Applies only to patients age 40 and over. Patients with diabetes diagnosed more that 15 months ago are
Gilleuse (GLC)	MINOS	******	44TJ.	Blood slucose level	excluded.
			44TK.	Fasting blood glucose level	
		44U% (except 44Uz)		Blood glucose result	
		44V 44V3.	44V	Glucose tolerance test	
			44V1.	Glucose tolerance test normal	
		4412-4412	44V2.	Glucose tol. test impaired	
			44V3.	Glucose tol. test diabetic	
		44V6.		Extended slucose tolerance test	
		7P172		Glucose tolerance test	
		R102.		ID1Glucose tolerance test abnormal	
		R10D. R1057		ID IElevated blood glucose level	
		R1057		[D]Glucose, blood level abnormal	I
IFCC HbA1c levels (IFCCHBA)	MH005	42W5.		Haemoglobin A1c level - IFCC standardised	
					7
Guicose test exception code (GLUCEXC)	MH005	SIEG.		Blood glucose test declined	
Glucose test exception code (GLUCEXC)	MH005	1		-	
sincose test exception code (GLUCEXC)	MH005	685H.		No smear - benign by sterectomy	
sincose test exception code (GLUCEXC)	MH005	685H. 685L		No smear - benign by sterectomy No smear-amputation of cervix	
ancose test exception code (GLUCEXC)	MH005	685H. 685L 685K.		No smear - benign by sterectom y No smear - amputation of cervix No smear - no cervix	
ancose test exception code (GLUCEXC)	MH005	685H. 685L 685K. 908Y.		No smear - benign hysterecomy No smear - amputation of cervix No smear - no cervix No cervical mear required - no uterus	
sucose test exception code (GLUCEXC)	MH005	685H. 685L 685K. 908Y. 7E05%		No onear - benjon by sterectomy  No onear - amponition of cervic  No correla since of require  No cervical since of required - no sterns  Variant excisions	
mrose test exception code (GLUCEXC)	MH005	685H. 685L 685K. 908Y. 7E05% 7E040		No smear - benign bysterectomy No smear -amputation of cervix No smear -m ocervix No smear -m ocervix No smear -m ocervix Variant excision of uterus Variant excision of uterus Addominally street-oppersonsy and excision of perinterise tissue	
·		685H. 685L 685K. 908Y. 7E05% 7E040 7E042		No sine ar - benium by sterecommy  No sine real amplituding of cervity.  No sine real amplituding of cervity.  No sine real amplituding of cervity.  No sine real security of the steres.  Variable excision of cervity.  Additional by serve objections was deviction of perinterine tissue.  Additional by serve objections with a service of perinterine tissue.	V30 added codes 700P and 700N. Permanent exclusion from indicator MB008
	MH005	685H. 685L 685K. 908Y. 7ED40 7ED42 7ED42 7ED43 7ED43		No smear - benign bysterectomy No smear -amputation of cervix No smear -m ocervix No smear -m ocervix No smear -m ocervix Variant excision of uterus Variant excision of uterus Addominally street-oppersonsy and excision of perinterise tissue	V30 added codes 7E04P and 7E04N. Permanent exclusion from indicator MH008
		685H, 685L 685K, 908Y, 7ED40 7ED42 7ED42 7ED43 7ED44 7ED44		No unear abusis hi steries terri.  No unear a significati of cereix.  No unear a significati of cereix.  No unear a significati of cereix.  Variand a significati of unear a cereix.  The all a signification of unear a cereix of unear a cereix of unear a cereix.  The all a signification of unear a cereix of unear a cereix of unear a cereix of unear a cereix.  The all a significant of unear a cereix of	VIO added codes TROP and TROAN, Fernmanest exclusion from indicaster MBR08
		685H. 685L 685K. 908Y. 7ED40 7ED42 7ED42 7ED43 7ED43		No men a - benign by intercentive  No men a - a magnetion of cortists  No ment a - mortists  No ment a - morti	V.00 added codes 70.00° and 70.04%. Permanent exclusion from indicator MBION
		685H, 685L 685K, 908Y, 7ED40 7ED42 7ED42 7ED43 7ED44 7ED44		No unear abusis hi steries terri.  No unear a significati of cereix.  No unear a significati of cereix.  No unear a significati of cereix.  Variand a significati of unear a cereix.  The all a signification of unear a cereix of unear a cereix of unear a cereix.  The all a signification of unear a cereix of unear a cereix of unear a cereix of unear a cereix.  The all a significant of unear a cereix of	VID added codes 7854° and 7864N. Permanent exclusion from indicator M8008
		685H. 688L. 688L. 688K. 908Y. 7E049 7E042 7E042 7E043 7E046 7E049 7E049		So use at - Jenius hosteresture  No user at suppration of cervite  No user at suppration of cervite  No cervita dumate regulerd- no surena  No cervita dumate regulerd- no surena  No cervita dumate regulerd- no surena  Absonantal to various part decision of geniuerane timor  Absonantal to various control control (Telephone Control (Tel	V30 added codes 7804P and 7804N, Permanent exclusion from indicator MBR08
Glicos test exceptioncode (GLUCEXC)  Hysterectomy and equivalent codes (IPCST)		685H. 685L. 685L. 685L. 908Y. 7EB3% 7EB40 7EB42 7EB43 7EB45 7EB46 7EB46 7EB46 7EB46 7EB46 7EB46		So use or a bridge bestere come.  No use or a sempetion of certity.  No use or a sempetion of certity.  No receival use or registed to sure or semple or sem	V.80 added codes 7004P and 7004N. Permaneur exclusion from indicator M01008
		685H 685L 685K 908Y, 7E046 7E042 7E043 7E045 7E045 7E046 7E045 7E046 7E046 7E046 7E046 7E046 7E046		No unear a hemis to retree term  No unear a supportion of cerviti.  Variant (white of the term of the term of the cervities of perturbate time.  Additional for surrect operators, and explain of perturbate time.  Additional for surrect operators, and explain of the certificial cervities.  Additional for surrect operators and explain of the certificial cervities.  The additional for surrections and historial antiminosofton cursor.  The add additional for surrections and historial antiminosofton cursor.	V30 added codes 7804P and TESAN. Permatent exclusion from indicator MH008

		MENTA	L HEALTH con	t.	<u>To Index</u>				
		Code	Code Breakdown	Term	Comments to v30				
			4K22.	Cervical smear: negative					
			4K23.	Cerv.smear: mild dv skarvosis					
			4K24.	Cerv.smear: severe dv skarvosis					
			4K25.	Cerv.smear:severe dy sk:3nv.ca					
		4K22 2K291	4K26.	Cervical smear: ? gland neool.					
			4K27.	Cervical smear:atrophic change					
			4K28.	Cerv.smear: mod.dvskarvosis					
			4K29.	Cerv.smear: borderline changes					
			4K290	Cervical smear - borderline change in squamous cells					
			4K291	Cervical smear - borderline change in endocervical cells					
		4K2C.		Smear NAD - no endocervical cells					
		4K2H.		Cervical smear enithelial cells absent	4				
		4K2F.		Cervical smear puscells present					
		4K2G.		Cervical smear red blood cells present					
		4K2J. 4K2K.		Cervical smear - low grade dyskary osis Cervical smear - high grade dyskary osis (moderate)					
		4K2L		Cervical smear - hirh ande dyslary osis (severe)					
		4K2M.		Cervical smear - high grade dy skary osis with features of invasive squamous carcinoma					
Cervical Smear (SMEAR)	MH008	4K2N.		Cervical smear - features of endocervical type slandular neoplasia	In Scotland for females age 20 - 60. Requires entry within the previous 5 yrs.				
		4K2P.		Cervical smear - features of non-cervical type glandular neoplasia	1				
		4K2O.		Cervical smear - human papillomavirus negative					
	4K2R. 4KA1. 4KA3. 4KA4. 6856.			Cervical smear - human papillomavirus positive					
		4KA1.		Vaginal yault smear negative					
		4KA3		Vaginal yault smear-atrophic					
				Vaginal yault smear abnormal					
		6856.		Ca cervix screen - up to date					
		6859		Ca cervix - screen done					
							685B.	Ca cervix screen normal	
		685B 685D.	685C.	Ca cervix screen abnormal					
			685D.	Ca cervix screen + fee claim					
		685R.		Liquid based cervical cytology screening					
		7E2A2		Pananicolau smear NEC					
		7E2A3		Vaginal vault smear					
		ZV762		IV Screening for malignant neonlasm of cervix					
		7E2A0		Examination of female genital tract under anaesthetic and Papanicolau smear					
		4K3E.		HPV - Human nanillomavirus test negative					
		4K55.		Cervical cytology test	1				
		,	,		•				
		6853.		Ca cervix screen - notwanted					
Cervical cytology exceptions (CYTEXC)	MH008	685L		Cervical smear refused	Requires entry within the previous 5 years				
cervical cytology exceptions (CTTEAC)		816K. 908Q.		Cervical smear not indicated					
		908Q.		Cerv.snear disclaimer received	4				
					<del>-</del>				
Blood Test Declined (BLOODEXC)	MH004, MH005, MH009, & MH010	41M		Blood test declined	New code for V30, required entry in previous 15 months				
			•	•	-				

ſ			<u>To Index</u>			
ſ				Code Breakdown		Comments to v30
	OTE: Obesity is no longer part of Q OF with fu tge >=16	mding transferred to	core funds. Practices	are advised to mai	ntain registers.	
•						i de la companya de
			22K5. 22K7.		Body mass index 30+ - obesity Body mass index 40+ - severely obese	
			22KC.			V30 added codes 22KC., 22KD., 22KE Need to be recorded in the last 15 months
			22KD.		Obese class II (body mass index 35.0 - 39.9)	
ı			22KE.		Obese class III (body mass index equal to or greater than 40.0)	
	Obesity	OB 001		(If has attached value of >=30)	Body Mass Index	only if value attached of >= 50 and recorded in the last 15 months.
				(If has attached value of >=30)	Baseline body mass index	ому и чино виностоя от «««« ини състано и и». 438 13 IIOIIII).

ſ	OSTEO	POROSIS: Seconda	ry prevention of	Fragility fractures	To Index
		Code	Code Breakdown	Term	Comments to v30

There are two populations for osecoprosis 1. age 50-74, require codes for fragility fracture after 1.4.12 and diagnosis of osteoporosis and DEXA scan code.

2. Those age 75+ require code for fragility fracture (OSTOIGs is for fragility fracture since 1.4.14).

Fraglity fracture (FF)		N331N N331M		Fragility fracture
ragany tracture (FF)				Fragility fracture due to unspecified osteoporosis
		*		
			N330.	Osteoporosis
			N3300	Osteonorosis, unspecified
			N3301	Senile osteonorosis
			N3302	Postmenorausal osteoporosis
			N3303	Idiopathic osteoporosis
			N3304	Dissuse osteonorosis
		N330% (excluding	N3305	Druz-induced osteoporosis
		N3308, N3309)	N3306	Postoonhorectomy osteonorosis
		113500,113507)	N3307	Postsurgical malabsorption osteoporosis
			N330A	Osteonorosis in endocrine disorders
			N330R	Vertebral osteonorosis
			N330C	Osteoporosis localized to spine
			N330D	Osteoporosis due to corticosteroids
			N330z	Oseonorosis NOS
		N3312	N330Z	Postoophorectomy osteoporosis with nathological fracture
		N3312 N3313	-	Osteonorosis of disuse with nathological fracture
Osteoporosis		N3313	-	Osteoporosis of disuse with pathological fracture  Postsurgical malabsorption osteoporosis with pathological fracture
Ostroporosa		N3314 N3315	-	Postsurgical maiatsorption osteoporosis with pathological fracture  Drur-induced osteoporosis with pathological fracture
			-	
		N3316		Idiopathic osteoporosis with pathological fracture
			N3318 N3319	Osteonorosis + nathological fracture lumbar vertebrae
		N3318 - N331B		Osteoporosis + pathological fracture thoracic vertebrae
			N331A	Osteoporosis + pathological fracture cervical vertebrae
			N331B	Postmenopausal osteoporosis with pathological fracture
			N331H	Collapse of cervical vertebra due to osteoporosis
			N331J	Collanse of lumbar vertebra due to osteonorosis
		N331H - N331M	N331K	Collapse of thoracic vertebra due to osteoporosis
			N331L	Collapse of vertebra due to osteoporosis NOS
			N331M	Fragility fracture due to unspecified osteoporosis
		N3746		Osteoporotic kyphosis
		NvuB0		IX1Other osteonorosis with nathological fracture
		NyuB1		[X]Other osteoporosis
		NyuB2		[X]Osteoporosis in other disorders classified elsewhere
		NyuB8		[X]Unspecified osteoporosis with pathological fracture
			9hP.,	Exception reporting: osteoporosis quality indicators
Osteoporosis exception codes (OSTEOEXC)	all	9hP%	9hP0.	Excepted from osteoporosis quality indicators; patient unsuitable
			9hP1.	Excepted from osteoporosis quality indicators: informed dissent
		_		The state of the s
		Tenno.	1	
and the second		58EG.		Hin DXA scan result osteonorotic
DEXA scan (without score)	OST002	58EM.	-	Lumbar DXA scan result osteoporotic
		58EV.		Femoral neckDEXA scan result osteoporotic
		58E E.		Hip DXA scan T score
Dexa scan (with T score value < -2.5)	OST002	58EK.		Lumbar spine DXA scan T score
		58ES		Femoral neck DEXA scan T score

		OSTEC	OPOROSIS cont.		To Index
		Code	Code Breakdown	Term	Comments to v30
		14LT.		H/O: bisohosohonate allersy	
		ZV14K		IV IPersonal history of bisphosphonate allergy	
		14La.		H/O: raloxifene allergy	
		14Lb.		H/O: terinaratide allerøy	
Bone sparing agents contra-indicated, persisting		14LW.		H/O: strontium ranelate allergy	
(XB SACAT)	OST002, OST005	ZV14H		IVIPersonal history of strontium ranelate allerey	
ADSPECTED		14LT0		H-O denosumah alleray H-O ibandronic acid allergy	
		14LT1		H/O zoledronic acid monohydrate aller sy	
		14LT2		H/O disodium etidronate allergy	
		14LT3		H/O alendronic acid allerev	
		14LT4		H/O risedronate sodium allergy	
			,		•
		8I3e. 8I6R.		Bisphosphonates declined Bisphosphonates not indicated	
		817E.		Bisphosphonates not indicated Bisphosphonates not tolerated	
		812V.		Bisphosphonates contraindicated	
		816p.		Raloxifene not indicated	
		817P.		Raloxifene not tolerated	
		SIEH.		Ralox Fene declined	
		8I2L		Raloxifene contraindicated	
		816q.		Teriparatide not indicated	
		817Q.		Teriparatide not tolerated	
		SIED. SI2m.		Teriparatide declined Teriparatide contraindicated	
		813h.		Strontium ranelate declined	
		816V.		Strontium ranelate not indicated	
		817H.		Strontium ranelate not tolerated	
		8I2Y.		Strontium ranelate contraindicated	
		8I2p.		Denosumab contraindicated	
		SI2V0 SIEW.		Ibandronic acid contraindicated	
Bone sparing agents contra-indicated, expiring		8I3c0		Denosumab declined Ibandronic acid declined	
(TXBSACAT)	OST002, OST005	817S.		Denosumab not tolerated	Requires entry within the last 15 months
		817E0		Ibandronic acid not tolerated	
		8I612		Denosumab not indicated	
		816R0		Ibandronic acid not indicated	
		8I2V3		Alendronic acid contraindicated	
		8I3e3 8I6R3		Alendronic acid declined Alendronic acid not indicated	
		817E3		Alendronic acid not tolerated	
		8I2V2		Disodium etidronate contraindicated	
		8I3e2		Disodium etidronate declined	
		8I6R2		Disodium etidronate not indicated	
		817E2		Disodium etidronate not tolerated	
		812V4		Risedronate sodium contraindicated	
		8I3e4 8I6R4		Risedronate sodium declined Risedronate sodium not indicated	
		817E4	1	Risedronate sodium not indicated Risedronate sodium not tolerated	
		8I3e1		Zoledronic acid monohy drate declined	
		8I6R1		Zoledronic acid monohy drate not indicated	
		817E1		Zoledronic acid monohy drate not tolerated	
		8I2V1		Zoledronic acid monohy drate contraindicated	
		fo1%	1	DISODIUM ETIDRONATE	
		fo4% fo6%	1	ALENDRONIC ACID RISEDRONATE SODIUM	
		fo7%		ZOLEDRONIC ACID	
		fo8%		IBANDRONIC ACID	
		fv1%		RALOXIFENE HYDROCHLORIDE	1
		fu3%		TERIPARATIDE	
Bone sporing age nt prescriptions (BSA)	OST002, OST005	fu5%		STRONTIUM	Requires entry in last 6 months.
and the metal state of the second state (1994)		fu9%		DENOSUMAB	
		8BP1.		Teriparatide therapy	
		SBPW.		Denosumab therapy	
		SB PX. SBPY.		Ibandronic acid therapy Zoledronic acid therapy	
		SB PZ		Parathyroid hormone therapy	
		8B6c.		Intravenous bisohosohonate prophy laxis	1
		8B6b.		Osteoporosis medication prophy laxis	
Bone Sparing agent therapy not indicated (BSAEXC)	OST002, OST005	81615		Bone sparing agent therapy not indicated	

		PALL	IATIVE CARE		To Index
		Code	Code Breakdown		Comments to v30
C002 (multidisciplinary meetings every 3 m	onths) indicator has no	automatic data extracti	on or coding requir	ements	
		1201.		Terminal illnecc. Inte ctace	Ī
		ZJE.,		Last days of life	
		38O H		Palliative Care Outcomes Collaboration Assessment Trolkit	
		380 K.		Palliative Care Problem Severity Score	
		8B2a.		Prescription of malliative care anticinatory medication	
		SRA2. SBAP.		Terminal care Specialist palliative care	
		SBAS.		Specialist palliative care Specialist palliative care treatment - day care	
		SBAT.			
				Specialist palliative care treatment - outpatient	
		SRAc		Anticinatory nalliative care	
		8BJ1.		Palliative treatment	
			SCM1.	On gold standards pulliative care framework	
			8CM10	Gold standards framework supportive care stage 1 - advancing disease	
		8CM1% (excluding	8CM11	Gold standards framework supportive care stage 2 - increasing decline	
			8CM12	Gold standards framework supportive care stage 3 - last days: category C - weeks prognosis	
			8CM13	Gold standards framework supportive care stage 3 - last days: category D - days	
			8CM14	Gold standards framework supportive care stage 3 - last day s: category B - months proznosis	
		8CM4.		Liverpool care nathway for the dying	
		SCME.		Has end of life advanced care plan	
alliative care	PC001	SCMO.		On Liverpool care pathway for the dying	Population is patients coded since 1.4.2008.
		8CMW3		End of life care pathway	
		8CMb.		Integrated care priorities for end of life	
		SCMg.		End of life advance care plan	
		SUGA		nad of the advance care pain	
		8H7L.		Refer for terminal care	
		8H7g.		Referral to pulliative care service	
		SHH7.		Referred to community specialist palliative care team	
		SIEE		Referral to community palliative care team declined	
		9367.		Patient held pulliative care record	
		9EB5.		DS 1500 D isability living allowance (terminal care) completed	
		9G8		Ambulance service notified of patient on end of life care register	
		9K9	1	Palliative care handover form completed	
		9NNd.		Under care of palliative care specialist nurse	
		9NNf0		Under care of palliative care physician	
		9Ng7.		On end of life care register	
		9NgD.		Under care of palliative care service	
		9e0L0		Planned palliative oncology treatment	
		9c0M.		Planned supportive care for terminal illness	
		9c0P.		Current palliative oncolory treatment	
		9e0N		Current supportive care for terminal illness	

	PERIPHERAL ARTERIAL DISEASE Tot			SEASE	<u>To Index</u>
		Code	Code Breakfown	Term	Comments to v30
		G73		Other peripheral vascular disease	
		G734.		Perioheral arterial disease	
		G73y.		Other specified peripheral vascular disease	
Peripheral Arterial Disease (PAD)		G73z% (excluding	G73z.	Peripheral vascular disease NOS	
		C(73x1)		Intermittent claudication	
				Peripheral vascular disease NOS	
		Gyu74		[X]Other specified peripheral vascular diseases	
					_
		9hSL		Exception reporting: peripheral arterial disease quality indicators	
PAD Exception codes (PAD£XC)	all	9hS0.		Excepted from peripheral arterial disease quality indicators: patient unsuitable	
		9hS1.		Excepted from peripheral arterial disease quality indicators: informed dissent	
BP Recording Codes (BP)	PAD002	246% (Except 2460., 2468., 246H., 246I., 246K., 246L., 246M., 246h., 246i., 246j., 246k)		O.Eblood pressure reading	Blood Pressure values should also be recorded for the Contract and your software sy stem will have a system to deal with Read coding of Values.
	,				•
BP Recording Exception Codes (BPEX)	PAD002	8I3Y.		Blood pressure procedure refused	Requires recording within the previous 12 months
					*
Maximal BP therapy (HTMAX)	PAD002	SBL0.		Patient on maximal tolerated antihy pertensive therapy	

		Ι			
		PERIPHERAL A	RTERIAL DISE	ASE cont	To Index
		Code	Code Breakdown	Term	Comments to v30
Salicylate prescriptions (SAL)	PAD004				Prescribed in In last 15 months
Clopidogr el prescriptions and code (CLO)	PAD004	8B6P.		Clopidogrel prophylaxis	Prescribed in In last 15 months
					·
Warfarin Prescriptions and Code (WAR)	PAD004	8B2K.		Antic ongulant prescribed by third party	Prescribed in In last 15 months. Warfarin acts as an exclusion for being given aspirin or other anti-platelet medication. Therefore there are no exception codes for warfarin therapy.
		6718.		Advice about taking asnirin	
OTC salicylate codes (OSAL)	PAD004	8B63.		Salicy late prophy laxis	
		SB3T.		Over the counter aspirin therapy	
		•			•
		141 K		H/O: aspiris allerey	j
Salicylate contra-indications:persistent (XSAL)		ZV148		IV IPersonal history of aspirin allergy	
Sancytate contra-indications:persistent (ASAL)	PAD004	U6051		IX ISalicy lates causing adverse effects in therapeutic use	
		TJ53.		Adverse reaction to salicylates	
	•	•		•	•
		8124		Asnirin prophy layis contra-indicated	T
		8138.		Asnirin prophy laxis refused	
Salicylate contra-indications:expiring (TXSAL)	PAD004	8166.		Aspirin not indicated	Requires recording within the previous 15 months
		8170.		Aspirin not tolerated	
	•	•			•
		141.0		H/D: clonidorrel allergy	T
Clopidroge I contraindications: persistent	PAD004	U6048		IX IClonidogrel causing adverse effects in therapeutic use	
(XCLO)		ZV14B		[V]Personal history of clopidogrel allergy	
		812 K		Clonidogrel contraindicated	I
Clopidrogel contraindications: expiring	PAD004	8I3R.		Clopidogrel declined	
(TXCLO)	PAD004	8I6B.		Clonidogrel not indicated	Requires recording within the previous 15 months
IACIA)		8172.		Clonidogrel not tolerated	1

		<u>To Index</u>			
		Code	Code Breaktown	Term	Comments to v30
For patients age 45 and over	•	•			
BP Recording Codes (BP)	BP002	246% (Except 2460., 2468., 246H., 246I., 246K., 246L., 246M., 246h., 246i., 246j., 246k)			Blood Pressure values should also be recorded for the Contract and your software system will have a system to deal with Read coding of Values. Requires entry for all age 45% within the previous 5 years
BP Recording Exception Codes (BPEX)	BP002	8I3Y.		Blood pressure procedure refused	

		To Index			
		Code	Code Breaklown	Term	Comments to v30
For Patients age 16 and over	•	•	•		
		G5v8.		Rheumatoid my ocarditis	Ī
		G5yA.		Rheum atold carditis	
		N040%		Rheum atold arthritis	
		N041.		Felty's syndrome	
			N042.	Other rheumatoid arthropathy with visceral or systemic involvement	
				Rheumatoid lung disease	
		N0420)		Rheumatoid nodule	
Rheumatoid Arthritis diagnosis (RARTH)			N042z	Rheumatoid arthropathy with visceral or systemic involvement NOS	
the united of the north ungroup (RARTH)		N047.		Seropositive errosive rheumatoid arthritis	
		N04X		Seronositive rheumatoid arthritis, unspecified	
		N04v0		Rheumatoid lune	
		N04y2		Adult-onset Still's disease	
		Nvu11		IX1Other seronositive rheum atoid arthritis	
		Nyu12		[X]Other specified rheum atoid arthritis	
		NvuIG		IX Seronositive rheumatoid arthritis, unspecified	
		Nyu10		[X]Rheumatoid arthritis with involvement of other organs or systems	
					-
	_	9hR		Exception reporting: rheumatoid arthritis quality indicators	
RA Exception codes (RARTHEXC)	all	9hR 0.		Excepted from rheumatoid arthritis quality indicators: patient unsuitable	
		9hR1.		Excepted from rheumatoid arthritis quality indicators: informed dissent	1
					-
RA Review (RARTHRVW)	RA002	66HB0		Rheumatoid arthritis annual review	Requires entry in previous 15 months

			MOKING		<u>To Index</u>
		Code	Code Breakdown	Term	Comments to v30
tients with any one of CHD,Stroke or TIA, F gister (Schizophrenia, Psychosis or Bipolar e	PAD, Hypertension, D disorder) count as the	tiabetes (Age>=17), Co population for indicate	OPD, Asthma (with ers SMOK002 and S	medication in the last year and age >= 20), CKD (age >= 18) or on the Mental health MOK005	
			137	Tobacco consumption	
			1371.	Never smoled tobacco Trivial smoker - < 1 cig/day	
			1373.	Light smoler - < 1 cigotay Light smoler - 1-9 cigotay	
			1374	Moderate smoler - 10-19 circid	
			1375.	Heavy smoker - 20-39 ciusiday	
		137137D.	1376.	Very heavy smoler - 40+cirsid	
		137.5-1370.	1377.	Ex-trivial smoker (< 1/day)	
			1378.	Ex-light smoker (1-9/day)	
			1379.	Ex-moderate smoker (10-19/day)	
			137A.	Ex-heavy smoler (20-39/day)	
			137B.	Ex-very heavy smoker (40+/day)	
			137C. 137D.	Keeps try ing to stop smoking	
			137D. 137F.	Admitted tobacco cons untrue ? Ex-smoler - amount unknown	
		137F137H.	137F. 137G.	Ex-smoter - amount unknown Trying to give up smoking	
			137H.	Pire smoler	
		137J.	1.5711.	Ciear smoler	
		137K.		Stopped smoking	
			137M.	Rolls own cigarettes	
moking Habit Codes (SMOK)			137N.	Ex pipe smoker	
mang Hant Cours (SSIOK)			1370.	Ex cirar smoker	
		137M137T.	137P.	Cigarette smoker	
			1370.	Smokine started	
			137R.	Current smoker Ex smoker	
			137S. 137T.	Ex smoter Date ceased smoking	
		137V.	13/1.	Smoking reduced	
		2011.	137X	Cirarette consumption	
			137Y.	Ciear consumption	
			137Z	Tobacco consumption NOS	
			137a.	Pine tobacco consumption	
		137X137f.	137b.	Ready to stop smoking	
			137c.	Thinking about storeing smoking	
			137d.	Not interested in stopping smoking	
			137e.	Smoking restarted	
		137h.	137f.	Reason for restarting smoking Minutes from waking to first tobacco consumption	
		137h.		Minutes from waking to first tobacco consumption  Ex-cirarette smoler	
		1371.		Ex-curarette smoker Ex roll-up cigarette smoker	1
		137m.		Failed attempt to stop smoking	
		1370.		Waterpipe tobacco consumption	
				•	•
ever Smoled (NSMOK)	SMOK002	1371.		Never smoked tobacco	Requires entry in last 15months if aged 15 to 25. If aged over 25 requires entry once ever dated after patients 25th birthday and after their diagnosis date if in a disease group
				•	•
			1377.	Ex-trivial smoker (<1/day)	Ī
			1378.	Ex-light smoker (1-9/day)	
		1377-137B	1379.	Ex-moderate smoker (10-19/day)	
			137A.	Ex-heavy smoler (20-39(day)	
			137B.	Ex-very heavy smoker (40+/day)	Complex. Requires entry in last 15 months OR, if entered more than a 15 months ago, requires 3 ex-
s-Smoker (EXSMOK + EXSMOK2 +	SMOK002	137F. 137K.		Ex-smoker - amount unknown	smoker entries dated over a 3 year period with no 'smoker' code subsequently entered.
EXSMOK))	SMOR#02		137N.	Storoed smoking Ex pire smoker	
		137N 137O.	137N. 137O.	Ex cirar smoker	
			1378.	Ex smoler	
		137S 137T.	137T.	Date ceased smoking	1



Code			SA	To Index		
1752, 1751, 1752, 1754, 1754   1754			Code	Code Breakfown	Term	Comments to v30
172, 1376.   176, 186, 186, 186, 186, 186, 186, 186, 18			137			
172-1796,   1796,						
175.   175.				1373.	Light smoler - 1-9 cigsiday	
175.   175.			13/213/6.	1374.	Moderate smoker - 10-19 cigs/d	
Section   Sect						
According to the Color (CNIOR)   Type   Administration of the Standard Association of the Standard Association of the Standard Color of the Standard Col						
Section   1976			137C137D.			
Comment   Code   CONION   NOTIONAL   The Comment   Code   CONION   Code					Admitted totacco consumrue ?	
Total   Courted Name Code (CSMOK)   SAGONA   S			137G137H.			
StrickNet Code (CMOK)  NORMAN STRICK			1371	13/H.	Cierc emoler	<del>-</del>
Source Code (CMOK)  NORMA  NOR						
NICKORGY, NICKORGY (SNICKORGY)  NICKORGY (SN				137P		
SOCIONA   175   Control student   175   Control stud		SMOK002.	137P137R.	1370		
Type	Current Smoker Code (CSMOK)	SMOK004				
17%   Clast commentary   17%   Clast commentary   17%   17			137V.		Smoking reduced	Requires entry within last 15 months.
TYX_1374,   These consumers   Towns					Cirarette consumption	
17%   17%				137Y.	Cirar consumption	
LYX. 1371.   The Tables to the most mode and the control of the second control of the control					Tobacco consumption NOS	
The continue of the continue				137a.		
Proceedings			137X-137f.			
155   State recent				137c.		
Comparison   Com					Not interested in storning smoking	
The   Mome from watter first of those consumption						
Inc.   State of some transmission of the control				137f.		
Swedge Dor eptine reporting codes  all    Code						
Mile						
Subsidie (the cytine reporting codes)    15			1370.		Waterpipe tobacco consumption	<u> </u>
Subsidie (the cytine reporting codes)    15						<del>-</del>
CTA   Refuse pre-entodage autos   Text   Refuse pre-entodage autos   Text   T	Constitute Constitution and an advantage and an					Note - overall exception codes for the individual disease areas will not exclude patients from the Smoking
CAL   Sunday counting above	Simoning r.sception reporting codes	all		+		criteria and these codes will also need entry.
Support and Refer Sup Sunsing Service		1	13/K	-	Refusal to give smoking satius	
STATE   STAT			8CAL.		Smoking cessation advice	
STATE   Section   Sectio			SHTK.			
Support and Perior Stap Studies Services						
Support and fefer, was possingly serviced			8H7L		Referral to smoking cessation advisor	
SMOKR6   File   Mile						
SEE   Section						
VSG   Service by similar contain advisor	Adviser (REFERSSSA)					months but in last 15 months if patient has one of the specified chronic diseases.
Tight						
Post   Consent stores for follow as the standard consults around a standard consults around the standar						
Pide   Decided consent for follows up by unstales constroin team    Pide   Pide						
1815   Souther creation therape   1816   Souther creation therape   1816   Souther creation therape   1816   Souther creation therape   1816   Souther reducement therape value action man.				+		4
TSUR   Notice replacement therapy usuals accorded parables			9Ndg.		Decimed consent for follow-up by smoking cessation team	
TSUR   Notice replacement therapy usuals accorded parables		SMOK004 + SMOK005		74611	Smoking execution thereps:	T
Table   Notice reducement therapy waster incidence until				745H0		
Testiva   Testiva   Code						
TSEED   Notice replacement therapy (prescriptions a code)   TSEED   Notice replacement therapy using scotted lowages only one code is required from either Support and refer, or planmaschberapy.				745H2	Nicotine replacement therapy using nicotine inhalator	
SAGONA   TERT   Other secretified unsiline resolution therein   Only one code is required from either Support and refer, or pharmacotherapy   SAGONA   TERT   Other secretified unsiline resolution therein   Only one code is required from either Support and refer, or pharmacotherapy   SAGONA   SAGON				745H3	Nicotine replacement therapy using nicotine lozenges	only one code is required from either Support and refer, or pharmacotherapy.
No.	Pharmacotherapy (prescriptions + codes)				Other specified smoking cessation therapy	
18.2 h. Nicone realization in the realization in the State of Stat					Smoking cessation therapy NOS	
883 V. Over the constar actions regular earther app 8833 M. Soudaire creation due therapy declined						
MEM. Smokine cessation drug therapy declined						
88280 Issue of nicotine replacement therapy voucher						
			8B2B0		Issue of nicotine replacement therapy voucher	4

		STI	To Index		
		Code	Code Breakdown	Term	Comments to v30
					<b>-</b>
		G61% (Except G617.)		Intracerebral haemorrhage	
		G617.) G63v0		Cerebral infarct due to thrombosis of precerebral arteries	
		G63y1		Cerebral infarction due to thrombosis of precerebral arteries  Cerebral infarction due to embolism of precerebral arteries	
		G64%		Cerebral arterial occlusion	
		G66% (excluding G669.)		Strole and cerebrovascular accident unspecified	
		G 6760		Cerebral infarction due to cerebral venous thrombosis, nonny orenic	
Strole Disease Codes (STRT)		G6W		Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries	If known, Stroles should be coded as Ischaemic or Haemorrhagic rather than unspecified.
,		G6X.		Cerebral infarction due to unsnecified occlusion or stenosis of cerebral arteries	
				[X]Other intracerebral haemorrhage	
				IX lCerebral infarction due to unsnecified occlusion or stenosis of cerebral arteries	
		Gyu62-Gyu66		IX10ther cerebral infarction	
				[X]Occlusion and stenosis of other precerebral arteries	
			Gvu66	IX lOcclusion and stenosis of other cerebral arteries	
		Gyu6F		[X]Intracerebral haemorrhage in hemisphere, unspecified	
		Gyu6G		[X]Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries	
		G619.		Lobar cerebral haemorrhage	
					-
			G65	Transient cerebral ischaemia	
			G650.	Basilar artery syndrome	
			G651.	Vertebral artery syndrome	
		G65G654	G6510	Vertebro-basilar artery syndrome	4
			G652.	Subclavian steal syndrome Carotid artery syndrome hemispheric	4
			G653. G654.		
		G656G65zz	G654. G656.	Multiple and blateral precerebral artery syndromes  Vertebrobasilar insufficiency	
TIA Codes (TIA)			G657.	Carotid territory transient ischaemic attack	
			G65v.	Other transient cerebral ischaemia	
			G65z.	Other transent cerebrat ischaemia Transent cerebral ischaemia NOS	
			G65z0	Irransent cerebrat ischaemia NOS Impending cerebral ischaemia	1
			G65z1	Impending cerebral ischaemia Intermittent cerebral ischaemia	1
			G65zz	Transient cerebral ischaemia NOS	
		Evu55		(X)Other transient cerebral ischaemic attacks and related syndromes	
		ZV12D		V Personal history of transient ischaemic attack	
				H. P. C.	<u>.</u>
			962	Exception reporting: stroke quality indicators	T
Stroke Exception Codes (STREXC)	all	962%	9621.	Exception reporting: stroke quality indicators: Patient unsuitable	
(STREAM)			9622	Excepted from stroke quality indicators: Informed dissent	
<u> </u>			/ Marin	passepara from snow quanty maximum, infofficed dissert	<del>*</del>

		To Index			
		Code	Code Breakdown	Term	Comments to v30
		G63y0 - G63y1	G63v0	Cerebral infarct due to thrombosis of precerebral arteries	Ţ
		G63y0 - G63y1	G63v1	Cerebral infarction dueto embolism of precerebral arteries	
		G64%		Cerebral arterial occlusion	
		G 665.		Pure motor lacunar syndrome	
		G666.		Pure sensory lacunar syndrome	
		G 6760		Cerebral infarction due to cerebral venous thrombosis, nonny orenic	
ion-haemorrhagic Strole (OSTR)	STIA005, STIA007	G6W		Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries	
ton-memorriagic stroke (OSTK)	311/4005, 311/4007	G6X		Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries	
			Gvu63	IX ICerebral infarction due to unsnecified occlusion or stenosis of cerebral arteries	
		Gyu63 - Gyu66	Gyu64	[X]Other cerebral infarction	
		Gyuo3 - Gyuoo	Gvu65	IX/Occlusion and stenosis of other precerebral arteries	
			Gyu66	IXIOcclusion and stenosis of other cerebral arteries	
		Gyu6G		[X]Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries	
	1	1	567	Computerised axial tomography	Ī
			5671.	CAT scan requested	
		5675673.	5672.	CAT scan normal	1
			5673.	CAT scan abnormal	
			569	Nuclear magnetic resonance	
			5691.	Nuclear magnetic resonance Nuclear magnetic resonance	
	STIA008	5695693.	5692.	Nuclear mann reson normal	
			5693.	Nuclear magn.reson. abnormal	
		5675.	247.5.	CAT scan - brain	
IRI / CT Scan codes (SCAN)		567C.		CAT scan brain - abnormal	For patients dianosed with Stroke or TIA after 1.4.14. Requires entry between 3 months before to 1 mon
		5694.		Magnetic resonance imaging of brain abnormal	after Strole / TIA date.
		569F.		Magnetic resonance imaging of brain normal	
		569K0		Magnetic resonance imaging of brain	
		5C00.		CT scan brain - normal	
		5C12.		Computerised tomography brain scan abnormal	
		8HO 3.		Refer for NMR scanning	1
		8HO 4.		Refer for CAT scanning	
		SHBJ.		Strole / transient ischaemic attackreferral	
		SHTQ.		Referral to stroke clinic	
			•		•
MRI / CT Declined (SCEXC)	STIA008	5695.		Magnetic resonance imaging scan declined	Ĭ
IKI/CI Decimen (SCEAC)	311A003	56F0.		CT scan bmin declined	
					₹
BP Recording Codes (BP)	STIA003	246% (Except 2460., 2468., 246H., 246L., 246K., 246L., 246M., 246k., 246i., 246j.,		O.E blood pressure reading	Blood Pressure values should also be recorded for the Contract and your software system will have a system to deal with Read coding of Values.
BP Recording Exception Codes (BPEX)	STIA003	813Y.		Blood pressure procedure refused	
					1
Maximal BP therapy (HTMAX)	STIA003	SBL0.		Patient on maximal tolerated antihy pertensive therapy	1

		STROKE / TIA cont.			To Index
		Code	Code Breakdown	Term	Comments to v30
		LOCK		H/D: asnirin allerey	T Company of the comp
		14LK ZV148		V Personal history of aspirin allergy	
Salicylate contra-indications:persistent (XSAL)	STIA007	U6051		IX ISalicy lates causing adverse effects in therapeutic use	
		TJ53.	t	Adverse reaction to salicylates	
		1455.		Adverse reaction to sancymes	<u>1</u> .
		8174		Aspirin prophy laxis contra-indicated	<del>-</del>
		8138.		Aspirin prophy laxis refused	
Salicylate contra-indications:expiring (TXSAL)	STIA007	0130.		Aspirin propay axis retused Aspirin not indicated	
		8I66. 8I70.		Assirin not tolerated	-
		8170.		Aspirin not operated	<u>1</u> .
		14LP.		H/Cr warfarin allerny	7
		Tall P	T142	Adverse reaction to anticoogulants	
			TJ421	Adverse reaction to warfarin sodium	1
Warfarin contraindications: persistent		TJ42% (except	TJ422	Adverse reaction to nicoumalone	
(XWAR)	STIA007	TJ420)	TJ423	Adverse reaction to phenindione	1
(ATTAK)			T142z	Adverse reaction to anticografants NOS	
		U6042	1170	IX (Anticoagulants causing adverse effects in therapeutic use	1
		ZV14A		V Personal history of warfarin allergy	
		27.190		to be a commented by the state of the state	1
		Torse of		Warfarin containdicated	7
		8125. 813E.		Warfarin convaindwated Warfarin declined	H exception coding, patients require an exception code for Dypyridamole, Aspirin, Warfarin and
		8165.	-		
		8171.		Warfarin notindicated	
		8171. 812R.		Warfarin nottolerated Anticoagulation contraindicated	
		812R. 813d.			
		813d. 816N.		Anticongulation declined Anticongulation not indicated	
		817A.		Anticoaguiation not indicated  Anticoaguiation not tolerated	Clopidogrel to be excluded.
Warfarin contraindications: expiring TXWAR)	STIA007	81/A.			
		812a. 81ES.		Dabiratran contraindicated  Dabiratran declined	
		8I611 8I7R.		Dabigatran not indicated  Dabigatran not tolerated	
		817R. 812a			
				Novel oral anticoagulant contraindicated	
		SIH1.		Novel oral anticoagulant declined	
		3165.		Novel oral anticoagulant not indicated	
		817V.		Novel oral anticoagulant not tolerated	1
					T
Clopidroge I contraindications: persistent	STIA007	14LO U6048	-	HiO: clonidosrel allersy	
(XCLO)				IX1Clonidorrel causing adverse effects in theraneutic use	
ACLO)		ZV14B		[V]Personal history of clopidogrel allergy	
					•
		SI2K		Clonidogrel contraindicated	ī
Clopidrogel contraindications: expiring		ST3R		Clonidourel declined	
TXCLO)	SHA007	8I6B.		Clopidogrel not indicated	
		8172.		Clopidogrel not tolerated	
					•
		LIEX		H/D: dinyridamole allerey	7
Dipyridamole CI persisting (XDIPY)	STIA007	TJC44		Adverse reaction to dinvridamole	
		U60C3		X  Coronary vasodilators causing adverse effects in therapeutic use, not elsewhere	
		U60C3		classified	

		STRO	To Index			
		Code	Code Breakdown	Term	Comments to v30	
		812b.		Dipy ridamole contraindicated	4	
Dipyridamole CI expiring (TXDIPY)	STIA007	SI3n.		Dipy ridamole declined	4	
		816a.		Dipy ridamole not indicated		
		817J.		Dipy ridamole not tolerated		
		6718.		Advice about taking asnirin	T	
OTC salicylate codes (OSAL)	STIA007	8B63.		Salicy late prophy laxis		
		SB3T.		Over the counter aspirin therapy		
	1				<u>.</u>	
Salicylate prescriptions (SAL)	STIA007				Ī	
Clopidogr el prescriptions and code (CLO)	STIA007	8B6P.		Clopidogrel prophylaxis		
Dipyridamole prescriptions (DIPY)	SIIA007				For patients with a non-haemorrhagic stroke or TIA. Prescribed in last 15 months	
Warfarin Prescriptions and Code (WAR)	STIA007	8B2K.		Anticoagulant prescribed by third party		
	1				<u>1</u> .	
		tur t		U.O. influent vaccine allares	T Company of the Comp	
Flu vaccine contraindications: persisting	STIA009	U60K4		X IInfluenza vaccine causing adverse effects in therapeutic use		
(XFLU)		ZV14F		V Personal history of influenza vaccine allergy		
		2014		To be consistent of the section of t	1	
		812F0		Seasonal influenza vaccination contraindicated	T	
		816D0		Seasonal influenza vaccination not indicated		
	STIA009	68NE.		No consent - influenza imm.	1	
		68NE0		No consent for seasonal influenza vaccination	1	
Flu vaccine contraindications: expiring		90X51		Seasonal influenza vaccination declined		
(TXFLU)		90X52		First intranasal influenza vaccination declined	1	
		90X53		Second intranasal influenza vaccination declined	1	
		90X53		Second intranasal influenza vaccination declined First intranasal seasonal influenza vaccination declined		
				Pirst intranisal seasonal influenza vaccination declined		
		9OX56		Second intranasal seasonal influenza vaccination declined	<u>l</u>	
		6SED		Seasonal influenza vaccination	7	
Flu vaccine prescriptions and codes		65E20		Seasonal influenza vaccination Seasonal influenza vaccination given by other healthcare provider		
	STIA009	65ED0		Seasonal influenza vaccination given by other heathcare provider  Seasonal influenza vaccination given by pharmacist	•	
		65ED1		Administration of first intranasal seasonal influenza vaccination		
		65ED2		Seasonal influenza vaccination given while hospital innatient		
		65ED3		Administration of second intranasal seasonal influenza vaccination	Prescribed in the previous 1st September to 31st March.	
		65E21		First intranasal seasonal influenza vaccination given by other healthcare provider		
		65E22		Second intranasal seasonal influenza vaccination given by other healthcare provider		
		65E E.		Administration of intranasal influenza vaccination		
		65E E0		Administration of first intranasal influenza vaccination		